



ESTIMATED
50% OIL SAVINGS



PITCO FRIALATOR - ROUTE 3A BOW, NH 03304
TEL:603-225-6684 FAX:603-225-8472
WWW.PITCO.COM



WHAT ARE REDUCED OIL VOLUME FRYERS?

- Traditional 14 size fryers have 50 lbs of oil capacity but ROV fryers only have 30 lbs of oil capacity

Less Oil Usage = Less Oil Expense



GREATER ANNUAL OIL SAVINGS

OIL SAVINGS FOR THREE V AT FRYER SYSTEM

INITIAL FILLING		
AVERAGE OIL COST/LB	STD. SOYBEAN @\$.70	ZERO-TRANSFAT @\$1.20
STANDARD 3-50LB	\$105	\$108
ROV3-30 LB	\$ 63	\$108
	\$42 LESS	\$72 LESS

MODEL	STANDARD 3 - 50 LB	ROV 3-30 LB	ANNUAL SAVINGS
FILLS/YEAR	52	12	
SOYBEAN	105 X 52 = \$5460	63 X 12 = \$756	\$4704
ZERO TRANS-FAT	180 X 52 = \$9360	90 X 12 = \$1296	\$8064

**w/Adequate Filtration Frequency*

WHY CHOOSE ROV?

- **It's all about oil turnover!**
When the amount of oil dragged out with the food reaches an optimum level, the oil is replenished faster than it can deteriorate, leading to longer oil life
- Oil is never given a chance to fully oxidize!
- **Pitco's Auto Top Off** insures your fryer stays at optimum frying depth and dilutes the oxidizing oil in the fry pot with fresh oil as required

**Oil absorption may vary by oil type, product type and cooking temperature*

COMPUTER PROGRAMS & FUNCTIONS

- Number of cooks, filter soon warning, number of overrides, deferrals to lockout
- Filter time cycles (draining, refilling), Oil Polish duration
- JIB Mechanism and Indicator
 - Jib sensors warn operator when oil is below 20%
- Filter Data Functions
 - Records data for the current batch of oil as well as the 2 previous batches
 - Number of polishes
 - Number of overrides
 - Oil hours in use
 - Number of auto-disposes

KEYS TO MAKING ROV'S WORK

- Frequent Filtering
 - Pitco offers Automated Filtration and Manual Filtration
- Top-off Feature
 - Pitco offers Automated Top Off and Manual Top Off

BENEFITS

- Reduce Operating Costs
- Increases safety for operators who directly handle fresh/waste oil
- Reduces carbon footprint:
 - Less processed oil from first fill
 - Energy Star certified
 - Fewer deliveries and waste pickups
- No doors to open, knobs or levers to pull
- Large heat tubes and low watt density elements ensure lower heating surface temperatures reducing thermal breakdown of cooking oil
- Plus all the great features of our Solstice line:
 - Fully modular system
 - No blower required
 - Patented self-cleaning burner
 - Generous 3" drain manifold
 - Patented strainer cap for filter



**REDUCE
OPERATING
COST**



PRODUCT SPECIFICATIONS

REDUCED OIL VOLUME FRYERS - ELECTRIC

All models available in Manual or Automatic

MODEINUMBER	OIL CAPACITY	COOK AREA	KW
SELV14-C/FD	30	13.5" wx14.8" d	17
SELV14T-C/FD	2 x15	6.3" wx14.8" d	17 (COMBINED)
SELV14 (ADD ON FRYER)	30	13.5" wx14.8" d	17
SELV14T (ADD ON FRYER)	2 x15	6.3" wx14.8" d	17 (COMBINED)

REDUCED OIL VOLUME FRYERS - GAS

All models available in Manual or Automatic

MODEINUMBER	OIL CAPACITY	COOK AREA	BTU/HR
SSHLV14-C/FD	32	13" wx13.6" d	75,000
SSHLV14T-C/FD	2 x17	6.9" wx13.6" d	75,000 (COMBINED)
SSHV14 (ADD ON FRYER)	32	13" wx13.6" d	75,000
SSHV14T (ADD ON FRYER)	2 x17	6.9" wx13.6" d	75,000 (COMBINED)

OTHER ADD-ONS AVAILABLE FOR PURCHASE - CALL FOR PRICNG!



PITCO FRIALATOR - ROUTE 3A BOW, NH 03304

TEL: 603-225-6684 FAX: 603-225-8472

WWW.PITCO.COM