

2023
EQUIPMENT
PRICE LIST


Effective January 1, 2023



THE WORLD'S MOST RELIABLE FRYERS SINCE 1918



ALL YOU NEED FOR FRIED CHICKEN BONE-IN OR BONELESS



THE MOST ADVANCED INTEGRATED OIL MANAGEMENT FRYER

REDUCED OIL VOLUME **REDUCES CARBON FOOTPRINT**

-LESS PROCESSED OIL FROM FIRST FILL -FEWER DELIVERIES OR WASTE PICKUPS COOK 72%
MORE CHICKEN
WITH LESS OIL
CONSUMPTION

TABLE OF CONTENTS

| Fryer Control Options | 1-2 |
|--|-------|
| ROV (REDUCED OIL VOLUME) FRYERS | |
| SELVRF/SGLVRF | 4 |
| SSHLV/SELV | |
| | |
| GAS FRYERS | |
| (ROV) Reduced Oil Volume Fryers | 6 |
| Solstice High Efficiency Supreme Series | 8 |
| Solstice Gas Fryers | |
| Solstice Supreme Gas Fryer Systems | 13 |
| Solstice Gas Fryer Systems | 15 |
| Standard Gas Fryers | 18 |
| Premium Economy Fryer | 18 |
| SGC Countertop Fryer | |
| MEGAFRY - High Volume, High Efficiency | |
| Flat Bottom Fryers | |
| Solstice Filter Drawer Filtration System | 22 |
| Crisp'N Hold | 23 |
| ELECTRIC EDVERS | |
| ELECTRIC FRYERS | |
| (ROV) Reduced Oil Volume Fryers | |
| Solstice Electric Fryers | |
| Solstice Electric Fryer Systems | |
| Solstice Filter Drawer Filtration System | |
| Holding & Merchandising | 23 |
| PREPACKAGED FILTRATION SYSTEMS | |
| Prepackaged SSH Fryer Systems with Filtration | 13 |
| Prepackaged SE Fryer Systems with Filtration | |
| | |
| Prepackaged SG Fryer Systems with Filtration | 13 |
| FILTRATION SYSTEMS & OIL HANDLING | |
| Integrated Oil Management Systems | 21-22 |
| Portable Filtration | |
| Fat Vat | |
| Solstice Filter Drawer Filtration System, | |
| SG, SSH, SE, FBG, SGM | 22 |
| | |
| WATER COOKERS | |
| Pasta Cookers - Solstice Supreme Gas | |
| Pasta Cookers - Solstice Supreme Electric | |
| Solstice Rethermalizer - Gas, Electric and Counter Top | 26 |

OPTIONS & ACCESSORIES

| Flexible Connectors, Cleaning Accessories, | |
|---|-------|
| Filter Accessories, Filter Paper | 27 |
| Institutional Packages Tank Covers, Casters, Dump Stations | 27 |
| Tank Covers, Casters, Dump Stations | 28 |
| Work ShelvesBasket and Wire Goods | 29-30 |
| basket and wire doods | 23 30 |
| WARRANTY | |
| Extended Warranty | 32 |
| Standard Fryer Warranty | 33 |
| Economy Fryer Warranty | 34 |
| FIND A REP | |
| Sales Reps | 35-36 |
| ORDERING INFORMATION | |
| Ordering Information | 37 |
| Returns & International Orders | |
| Shipping Information | |
| Simplify mornidation | 50 |
| ENERGY STAR® FRYER REBATES | |
| REBATES | 39-40 |
| | |

CONTACT US

[P] 1.603.225.6684 | **[F]** 1.603.225.8472

www.pitco.com

Literature: literature@pitco.com

Orders: orderpitco@pitco.com

Administrative Office: 553 Route 3A | Bow, NH 03304

Mail: P. O. Box 501 | Concord, NH 03302

Freight: 39 Sheep Davis Rd | Pembroke, NH 03275

** PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE **



CE approvals for individual models may not be available with all options or in all areas. Consult the factory for more information.



FRYER CONTROL OPTIONS







MILLIVOLT CONTROL

- Manual pilot ignition
- No power required for operation




SOLID STATE CONTROL - Available with Matchless Ignition

- Greater Temperature Control plus or minus 1°F reactivity from set temperature
- · Better recovery, increased production
- Melt Cycle
- Boil Out
- Back up option allows the Solid State control to function as a back up to the Digital Controller, 12 Button, MultiZone or Profile Computer Control



DIGITAL CONTROL - Available with Matchless Ignition

- Greater Temperature Control plus or minus 1°F reactivity from set temperature
- Better recovery, increased production
- Melt Cycle
- Countdown timer with alarm
- · Cook time and temperature setting
- Ease of use "touch on/touch off" 2 product buttons
- Solid State Control (above) can be added as a backup control





- Greater Temperature Control plus or minus 1°F reactivity from set temperature
- Better recovery, increased production
- Melt Cycle
- Ease of Use: 12 product buttons
- Programmable temperature, cook, shake, and hold functions; volume levels
- Anti-boil over mode prevents damage to controls during this procedure
- Consistent Product elastic time
- . "Lifeguard" system limits cycling of fryer controls to prolong fryer component life
- Instant On Controller calls for heat as soon as a timer is activated instead of waiting for the temperature drop.
- Solid State Control (above) can be added as a backup control



MULTI-ZONE COMPUTER CONTROL

All the features of the 12 Button plus:

- Perfect for 3 basket configuration
- Simple two step process: Select product, then select zone
- Different color zone for each basket
- Eliminates confusion of which product started cooking first
- Solid State Control (above) can be added as a backup control



PROFILE COMPUTER CONTROL

All the features of the 12 button control plus:

- The ability to set multiple temperature profiles
- Change temperatures automatically during the cook cycle for the perfect quality product
- Solid State Control (above) can be added as a backup control
- Menu strip windows for product button identification

THE EASY TO USE ADVANCED CONTROLLER FOR YOUR FRYER

Language support for your locations across the nation & around the globe, and store your recipes & product cook times on your fryer for the right taste every time.



7" TOUCHSCREEN

- On-screen brand logo
- Brightness adjustment
- Product key graphics
- USB port for data transfer



DATA TRACKING

- Hours of operation
- Cook cycles
- Filter cycles





REDUCED OIL VOLUME FRYER

ELECTRIC RACK FRYER

FULLY AUTOMATED FILTRATION SYSTEM AVAILABLE

- Reduce operating costs
- Increase safety for operators who directly handle fresh/waste oil
- Reduces carbon footprint:
 - Less processed oil from first fill
 - Fewer deliveries or waste pickups
 - Better for the workplace
- Maintain high production
- 76lbs. of oil, 15lbs. oil reserve
- Longer oil life
- 10 Gallon/minute filter pump
- 1.5" Oil drain opening
- Auto top-off oil options available or simply refill with the push of a button

CONTROLLER:

12 Button Computer Control - Matchless Ignition

- Greater Temperature Control plus or minus 1°F reactivity from set temperature
- Better recovery, increased production
- · Melt Cycle
- Ease of Use: 12 product buttons
- Programmable temperature, cook, shake, and hold functions; volume levels
- Anti-boil over mode prevents damage to controls during this procedure
- · Consistent Product elastic time
- Instant On Controller calls for heat as soon as a timer is activated instead of waiting for the temperature drop



SELVRF-2/FD shown with filter drawer, casters, and 12 Button Computer

AVAILABLE WITH




Know precisely when to re-use oil & when to change it to ensure top quality food & save on oil costs

REDUCED OIL VOLUME FRYER (ROV)

| | ROV RACK FRYER - ELECT | RIC 🗲 | | | | | | | | | |
|------------|---|------------------------|---------------|---------------|------------|-------------------------|---------------------------|------------------------|--|--|--|
| | Model Number | Oil Capacity (Lbs.) | Power (kW) | Frying Area | Cook Depth | 12 Button Computer © | Approx Ship Wt. (lbs.) | Appro Cubic Feet | | | |
| €[| SFSELVRF | 76 | 17 | 14"x 18" | 10" | \$53,525 | 415 | 56 | | | |
| ϵ | SELVRF-2/FD | 76 each | 17 | 14"x 18" each | 10" | \$79,184 | 930 | 12 | | | |
| | ROV RACK FRYER - GAS | | | | | | • | | | | |
| | Model Number | Oil Capacity (Lbs.) | BTUs/Hr | Frying Area | Cook Depth | 12 Button Computer © | Approx Ship Wt. (lbs.) | Appr Cubi Fee | | | |
| :[| SFSGLVRF | 76 | 17 | 14"x 18" | 10" | \$53,525 | 415 | 56 | | | |
| :[| SGLVRF-2/FD | 76 each | 17 | 14"x 18" each | 10" | \$79,184 | 930 | 11 | | | |
| | Additional basket and wire goods available on pages 28. | | | | | | | | | | |
| | ROV RACK FRYER OPTIONS & ACCESSORIES | | | | | | | | | | |
| | Description | | | | | | | | | | |
| Γ | Bulk Oil Option | | | | | | | | | | |
| Γ | Casters required (1/2 set per cabinet, | \$787 each | | | | | | | | | |
| | Automatic Basket Lifts | | | | - | | \$9920 per fryer | | | | |
| ſ | Individual Baskets & Accessories | | | | | | see page | 30 | | | |

Automatic Filtration Cycles

When the first cook cycle is complete the oil will automatically drain into the filter pan.



4

Once all oil is returned to the first tank, the second tank will automatically begin to drain for filtration.

If the second cook tank cook cycle is complete before the filtration cycle is done the fryer will alert the user the filter pan is in use.

Once the filtration cycle is complete the oil will return to the fryer tank and automatically reheat to the set temperature.



REDUCED OIL VOLUME FRYER

GAS & FLECTRIC

FULLY AUTOMATED FILTRATION SYSTEM AVAILABLE

- Reduce operating costs
- Increase safety for operators who directly handle fresh/waste oil
- Reduces carbon footprint:
 - Less processed oil from first fill
 - ENERGY STAR® Certified
 - Fewer deliveries or waste pickups
 - Better for the workplace
- · Maintain high production
- Up To 50% reduction in oil
- · Longer oil life
- Filter in as little as 3-4 minutes
- Auto top-off oil options available or simply refill with the push of a button

CONTROLLER OPTIONS:

Touchscreen Control

- Brightness adjustment
- Product key graphics
- USB port for data transfer
- Language support & recipe storage

12 Button Computer Control - Matchless Ignition

- Greater Temperature Control plus or minus 1°F reactivity from set temperature
- · Better recovery, increased production
- Melt Cycle
- Ease of Use: 12 product buttons
- Programmable temperature, cook, shake, and hold functions; volume levels
- · Anti-boil over mode
- Consistent Product elastic time
- Instant On Controller calls for heat as soon as a timer is activated instead of waiting for the temperature drop



* Some models avaibale with Open Kitchen Technology





Know precisely when to re-use oil & when to change it to ensure top quality food & save on oil costs



| ſ | REDUCED OIL VOLU | ME FRYERS - STANDA | ARD WITH 12 BUTTON | COMPUTER C | ONTROL - FLE | CTRIC | 4 | | | | | |
|--------------------|--|---------------------------------|------------------------|------------|------------------------|------------------------|-------------------------------|--|--|--|--|--|
| | Model Number | Oil Capacity (Lbs.) | Cook Area (W x D) | KW/Hr | Fryer with FD | Add On Fryer | Touch Screen (VS7) UPGRADE | | | | | |
| €€ | SELV14-C/FD | 30 | 13.5" x 14.8" | 17 | \$44,681 | \$24,085 | \$2358/pot | | | | | |
| C€ | SELV184-C/FD | 40 | 17.5" x 14.8" | 17 | \$47,190 | \$26,594 | \$2358/pot | | | | | |
| CE | SELV14T-C/FD | 15ea | 6.3" x 14.8" | 8.5ea | \$53,552 | \$32,956 | \$2358/pot | | | | | |
| CE | SELV14X-C/FD | 30 | 13.5" x 14.8" | 14 | \$42,201 | \$21,605 | \$2358/pot | | | | | |
| CE | SELV184X-C/FD | 40 | 17.5" x 14.8" | 14 | \$44,711 | \$24,114 | \$2358/pot | | | | | |
| CE | SELV14TX-C/FD | 15ea | 6.3" x 14.8" | 7ea | \$51,072 | \$30,476 | \$2358/pot | | | | | |
| Ī | REDUCED OIL VOLUME FRYERS - STANDARD WITH 12 BUTTON COMPUTER CONTROL - GAS | | | | | | | | | | | |
| | ENERGY STAR® Qualified Models are marked with an asterisk (*) | | | | | | | | | | | |
| J | Model Number | Oil Capacity (Lbs.) | Cook Area (W x D) | BTUs/Hr | Fryer with FD | Add On Fryer | Touch Screen (VS7) UPGRADE | | | | | |
| CE | SSHLV14-C/FD* | 32 | 13" x 13.6" | 72,500 | \$46,460 | \$25,863 | \$2358/pot | | | | | |
| CE | SSHLV184R-C/FD | 42 | 17" x 13.6" | 100,000 | \$47,779 | \$27,183 | \$2358/pot | | | | | |
| $\epsilon\epsilon$ | SSHLV14T-C/FD | 17ea | 6.9" x 13.6" | 37,000ea | \$54,091 | \$33,495 | \$2358/pot | | | | | |
| | OPTIONS & ACCESS | ORIES | | | | | Lint Dring | | | | | |
| | Description | Touch Screen Controls. One S | Panagar nor Potton. | | | | List Price \$5,505 | | | | | |
| ŀ | Auto Top-off - add per pot | Touch screen controls. One of | erisor per bactery | | | | \$1,719 | | | | | |
| ŀ | Auto Filtration - per full pot | | | | | | \$4,447 | | | | | |
| - | Auto Filtration - per ruii pot | | | | | | \$6,689 | | | | | |
| - | | | | | | | \$1,187 | | | | | |
| } | Stainless Steel Back (SS) Per Unit Basket Lifts (Add 100 lbs to fryer weight. Basket lifts add 4-1/2" to overall depth of fryer). *Only one needed for daul tank fryers. | | | | | | | | | | | |
| | Basket Lifts (Add 100 lbs to fryer weight. Basket lifts add 4-1/2" to overall depth of fryer). "Unly one needed for daul tank fryers. PFW-1 Built-in Foodwarmer, 750watt for BNB Solstice Bread and Batter Dump Station | | | | | | | | | | | |
| ŀ | SELVBNB14 or SSHLVBNB14 | | | | | | | | | | | |
| } | SSHLVBNB14 BASKET TOWER | | | | | | | | | | | |
| ŀ | Power Cord and Plug - 6 foot, 4 Gauge power cord, with NEMA 15-60P plug. Option available for Domestic SELV models, 14KW and 17KW, 3 phase, 208V or 240V fryers only | | | | | | | | | | | |
| | CASTERS (1/2 SET PER CABINET, MINIMUM 1 SET) | | | | | | | | | | | |
| ļ | Number of Fryers 1 2 3 4 5 | | | | | | | | | | | |
| | LIST PRICE | \$787 | \$787 | \$1,180 | \$1,574 | \$1,968 | \$2,361 | | | | | |
| | | ME FRYER SYSTEMS | <u> </u> | | ĭ | | | | | | | |
| | Model Number | | WITH PUSH-BUTTON | TOP OFF | | WITH AUTO TOP | OFF | | | | | |
| C€ | SELV14C-2/FD | | \$68,765 | | | | | | | | | |
| €€ | SELV14TC-2/FD | | \$86,508 | | | | | | | | | |
| C€ | SELV14C-3/FD | | \$92,850 | | | | | | | | | |
| C€ | SELV14C-4/FD | | \$116,935 | | | | | | | | | |
| C€ | SELV14C-2/14T/FD | | \$101,722 | | \$108,599 | | | | | | | |
| C€ | SELV14C/14T-2/FD | | \$110,592 | | | \$119,189 | | | | | | |
| C€ | SELV14C-2/14T-2/FD | | \$134,678 | | | \$144,993 | | | | | | |
| • | SELV14C/184/FD | ME EDVED OVOTEMO | \$71,276 | | | \$7,414 | | | | | | |
| | | ME FRYER SYSTEMS | , | 1700.055 | | ANITH ALITO TOD | 055 | | | | | |
| | Model Number | | WITH PUSH-BUTTON | TOPOFF | | WITH AUTO TOP | UFF | | | | | |
| C€ | SSHLV14C-2/FD* | | \$72,323 | | | \$75,762 | | | | | | |
| CE | SSHLV14TC-2/FD | | \$87,586 | | | \$94,464 *102.246 | | | | | | |
| € | SSHLV14C-3/FD* | | \$98,186 | | | \$103,346 | | | | | | |
| C€ | SSHLV14C-4/FD* | | \$124,050 \$105,818 | | \$130,928 \$112,696 | | | | | | | |
| C€ | SSHLV14C-2/14T/FD SSHLV14C/14T-2/FD | | \$105,818 | | | \$112,696 \$122,047 | | | | | | |
| C€ | SSHLV14C/141-2/FD SSHLV14C-2/14T-2/FD | | \$113,449 \$139,313 | | \$122,047 | | | | | | | |
| C€ | SSHLV14C-2/141-2/FD SSHLV14C/184/FD | | | | | \$149,629 | | | | | | |
| | SOLSTICE FILTER DF | RAWER | \$73,643 | | | \$77,081 | | | | | | |
| } | | ice Filter Drawer and Oil Recla | mation Options | | | | | | | | | |
| Ĺ | | | | | | | | | | | | |



SOLSTICE SUPREME - SSH

SAF

ENERGY SAVING HIGH PRODUCTION FRYING

- Solid state control standard
- Matchless ignition
- Self cleaning burner & down draft protection
- Stainless steel tank, front, door and sides
- · Drain valve interlock safety switch
- 9" legs

OPTIONAL FEATURES

- Solstice Filter Drawer
- Oil filtration in a fryer battery
- Solstice SoloFilter-Oil filtration in a single fryer
- 9" casters optional
- · Fry Vat covers, optional
- Stainless Steel Back (SS) Per Unit
- Basket Lifts
- PFW-1 built-in foodwarmer, 750watt for BNB Solstice bread and batter dump station
- Multi-Zone computer control not available on split tank fryers
- SSTC Back-up controller- can be added to any fryer that uses a digital or computerized control

10 YEAR FRY POT WARRANTY SSH Mixed Battery with optional 12-Button

Computer, Digital and Solid State controls, basket lifts, filter drawer and casters

SSH CONTROLLER OPTIONS:

All controller options include the patented self cleaning burner and downdraft protection system, matchless ignition and drain valve interlock switch.

Touchscreen Control

- On-screen brand logo
- Brightness adjustment
- Product key graphics
- USB port for data transfer
- Language support & recipe storage

Multi-Zone Computer - All the features of the

Computerized Control plus:

- Perfect for 3 basket configuration
- Simple two step process: Select product, then select zone
- Different color zone for each basket
- Eliminates confusion of which product started cooking first

12 Button Computerized Control standard with twelve count down timers with elastic "flex time" for more product consistency. Melt cycle, boil-out capability and drain valve interlock switch.

Digital Control standard with two count down timers, melt cycle, boilout capability and drain valve interlock switch.

Solid State Thermostat standard with melt cycle, boil-out capability and drain valve interlock switch.



SOLSTICE SUPREME HIGH EFFICIENCY GAS FRYERS

SOLSTICE SUPREME HIGH EFFICIENCY, HIGH PRODUCTION FRYERS

All SSH Gas Fryer Systems standard with rear "T" manifold and 9" legs. Casters available below. ENERGY STAR* Qualified Models are marked with an asterisk (*)

| | | | | | CONTROLLER OPTIONS | | | | | | |
|---------------------|--------------|------------------------|----------------------|-------|-----------------------|----------------|-------------------------|--------------------------|---------------------------|----------------------|--|
| | Model Number | Oil Capacity (Lbs.) | Cook Area (W x D) | BTUs | Solid State (SSTC) | Digital (D) | 12 Button Computer © | 7" (VS7) Touch Screen | Approx Ship Wt. (lbs.) | Approx Cubic Feet | |
| CE | SSH55* | 40-50 | 14"x14" | 80K | \$18,910 | \$19,541 | \$22,683 | \$25,040 | 208 | 34.6 | |
| $\epsilon\epsilon$ | SSH55R | 40-50 | 14"x14" | 100K | \$21,241 | \$21,873 | \$25,014 | \$27,371 | 208 | 34.6 | |
| $\epsilon\epsilon$ | SSH55T | 20-25ea | 7"x14"ea | 40Kea | \$22,560 | \$23,483 | \$28,247 | \$30,605 | 230 | 34.6 | |
| $\epsilon\epsilon$ | SSH55TR | 20-25ea | 7"x14"ea | 50Kea | \$24,891 | \$25,814 | \$30,579 | \$32,936 | 230 | 34.6 | |
| $\epsilon\epsilon$ | SSH75* | 75 | 18"x18" | 105K | \$21,119 | \$21,750 | \$24,891 | \$27,249 | 275 | 34.6 | |
| $\epsilon\epsilon$ | SSH75R | 75 | 18"x18" | 125K | \$23,450 | \$24,081 | \$27,222 | \$29,580 | 275 | 34.6 | |
| $\epsilon \in$ | SSH60 | 50-60 | 14"x18" | 80K | \$19,905 | \$20,537 | \$23,678 | \$26,035 | 226 | 34.6 | |
| $\epsilon\epsilon$ | SSH60R | 50-60 | 14"x18" | 100K | \$22,236 | \$22,868 | \$26,009 | \$28,367 | 226 | 34.6 | |
| $\epsilon\epsilon$ | SSH60W | 50-60 | 18"x14" | 100K | \$20,285 | \$20,917 | \$24,058 | \$26,416 | 275 | 34.6 | |
| $\epsilon \epsilon$ | SSH60WR | 50-60 | 18"x14" | 125K | \$22,616 | \$23,248 | \$26,389 | \$28,747 | 275 | 34.6 | |

Note 1: To meet CSA specification, all gas fryers with basket lifts must be ordered with casters and installed with flexible gas connector with restraining device. Basket lifts add 4-1/2" to overall depth of fryer. Add 100 lbs to fryer weight. Not available with SSTC controller.

SOLSTICE FILTER DRAWER

See Pages 21 & 22 for Solstice Filter Drawer, Portable Filter and 0il Reclamation Options

SOLSTICE BREAD AND BATTER - BNB DUMP STATION

Standard with 4-5/8" recessed pan and screen. Scooped pan liner available at no additional cost in lieu of screen. Additional BNB accessories on page 26.

| Model Number | List Price | Approx Ship Wt. (lbs.) | Approx Cubic Feet |
|--|------------|---------------------------|----------------------|
| SSHBNB55 | \$2,701 | 150 | 17 |
| SSHBNB75 | \$2,751 | 150 | 23 |
| PCF14 (Crisp'N Hold pg 17) | \$14,760 | 210 | 17 |
| PCF18 (Crisp'N Hold pg 17) | \$15,164 | 217 | 23 |
| SSH-BNB-55-BT Basket Tower - Baskets sold separately. 10 twin baskets required - see page 27 | \$5,829 | 150 | 18 |

CASTERS (1/2 set per cabinet, minimum 1 set)

| # of Fryers | 1 | 2 | 3 | 4 | 5 | 6 |
|-------------|-------|-------|---------|---------|---------|---------|
| LIST PRICE | \$787 | \$787 | \$1,180 | \$1,574 | \$1,968 | \$2,361 |

OPTIONS & ACCESSORIES

| Description | | List Price | | |
|--|-----------------------------------|------------------|--|--|
| Bulk Fresh Oil Piping Connection Kit (per battery) | | | | |
| Stainless Steel Back (SS) Per Unit | | | | |
| Basket Lifts (see note 1 above) *Only one needed for daul tank fryers. | | | | |
| PFW-1 Built-in Foodwarmer, 750watt for BNB Solstice Bread and Batter Dump Station | | | | |
| Multi-Zone Computer control or Profile Computer control not available on split tank fryers | | | | |
| SSTC Back-up Controller- can be added to any fryer that uses a Digital or 12 Button Control. | Full Fryer Add Split Fryer Add | \$1097 \$1636 | | |
| See Solstice Supreme Prepackaged systems on Page 29 | | | | |

SOLSTICE FRYERS

FI FCTRIC

COOK MORE PRODUCT, MORE EFFICIENTLY & PROVIDE AN IMPROVED OPERATING ENVIRONMENT

- Solid state control standard
- Universal control system mix and match controls to fit your needs
- Mix and match cabinets: any Solstice Electric models can be combined to create the perfect combination for your individual needs
- Mercury free relays reliable and safe for the environment
- Front serviceable all components are accessible from the front to make service and maintenance faster and easier
- The heating element can be removed without access to the back of the fryer
- 1-1/4" full port drain valve clog free draining
- Safe fixed element design designed to eliminate oil migration through pivot components

CONTROLLER OPTIONS

Touchscreen Control

- On-screen brand logo
- Brightness adjustment
- Product key graphics
- USB port for data transfer
- Language support & recipe storage

Multi-Zone Computer - All the features of the

Computerized Control plus:

- Perfect for 3 basket configuration
- Simple two step process: Select product, then select

zone

- Different color zone for each basket
- Eliminates confusion of which product started cooking

first

12 Button Computerized Control standard with twelve count down timers with elastic "flex time" for more product consistency. Melt cycle, boil-out capability and drain valve interlock switch.

Digital Control standard with two count down timers, melt cycle, boil-out capability and drain valve interlock switch.

Solid State Thermostat standard with melt cycle, boil-out capability and drain valve interlock switch.







Easy to use 7" Touch Screen Controller with onscreen logos and branding, product key graphics, and timers. On Demand videos for training.

SOLSTICE ELECTRIC FRYERS

SOLSTICE ELECTRIC FRYERS 4

For Use In A System Or Stand Alone | ENERGY STAR* Qualified Models are marked with an asterisk (*)

| | Model Number | Oil Capacity (Lbs.) | Power kW | Cook Area (W x D) | Solid State (SSTC) | Digital (D) | 12 Button Computer © | 7" (VS7) Touch Screen | Approx Ship Wt. (lbs.) | Approx Cubic Feet |
|--------------------|-----------------|------------------------|-------------|----------------------|-----------------------|----------------|----------------------------|--------------------------|------------------------------|-------------------------|
| $\epsilon\epsilon$ | SE14X | 40-50 | 14 | 14"x14" | \$14,909 | \$15,541 | \$18,682 | \$21,039 | 200 | 17.8 |
| $\epsilon\epsilon$ | SE14** | 40-50 | 17 | 14"x14" | \$17,415 | \$18,047 | \$21,188 | \$23,546 | 200 | 17.8 |
| €€ | SE14R* | 40-50 | 22 | 14"x14" | \$19,746 | \$20,378 | \$23,519 | \$25,877 | 200 | 17.8 |
| $\epsilon\epsilon$ | SE14T | 20-25ea | 8.5ea | 7"x14"ea | \$21,757 | \$22,722 | \$27,718 | \$30,076 | 230 | 17.8 |
| \in | SE18** | 70-90 | 17 | 18"x18" | \$21,403 | \$22,035 | \$25,176 | \$27,533 | 226 | 34.6 |
| $\epsilon\epsilon$ | SE18R | 70-90 | 22 | 18"x18" | \$23,734 | \$24,366 | \$27,507 | \$29,864 | 226 | 34.6 |
| \in | SE184* | 60 | 17 | 18"x14" | \$19,991 | \$20,623 | \$23,764 | \$26,121 | 226 | 34.6 |
| $\epsilon\epsilon$ | SE184R | 60 | 22 | 18"x14" | \$22,322 | \$22,954 | \$26,095 | \$28,452 | 226 | 34.6 |
| | | | | | | | | | | |

CONTROLLER OPTIONS

Note 1: Add 100 lbs to fryer weight. Basket lifts add 4-1/2" to overall depth of fryer. Basket lifts are wired at the factory for fryer voltage on 208v, 240v models. All 440-480v models require an additional 115v supply to power the basket lifts and filter systems.

SOLSTICE FILTER DRAWER

See Pages 21 & 22 for Solstice Filter Drawer, Portable Filter and Oil Reclamation Options

SOLSTICE BREAD AND BATTER - BNB DUMP STATION

Standard with 4-5/8" recessed pan and screen. Scooped pan liner available at no additional cost in lieu of screen. Additional BNB accessories on page 26.

| Model Number | List Price | Approx Ship Wt. (lbs.) | Approx Cubic Feet |
|--|------------|---------------------------|----------------------|
| SEBNB14 | \$2,701 | 150 | 17 |
| SEBNB18 | \$2,751 | 150 | 23 |
| PCF14 (Crisp'N Hold pg 17) | \$14,760 | 210 | 17 |
| PCF18 (Crisp'N Hold pg 17) | \$15,164 | 217 | 23 |
| SEBNB55-BT Basket Tower - Baskets sold separately. 10 twin baskets required - see pages 27 | \$5,829 | 150 | 18 |

CASTERS (1/2 set per cabinet, minimum 1 set)

| # of Fryers | 1 | 2 | \$3 | 4 | 5 | 6 |
|-------------|-------|-------|---------|---------|---------|---------|
| List Price | \$787 | \$787 | \$1,180 | \$1,574 | \$1,968 | \$2,361 |

OPTIONS & ACCESSORIES

| Description | | List Price | |
|--|-----------------------------------|------------------|--|
| Stainless Steel Back (SS) Per Unit | | | |
| Basket Lifts *Only one needed for daul tank fryers. | | | |
| PFW-1 Built-in Foodwarmer, 750watt for BNB Solstice Bread and Batter Dump Station | | | |
| Multi-Zone Computer control or Profile Computer control not available on split tank fryers | | | |
| SSTC Back-up Controller- can be added to any fryer that uses a Digital or 12 Button Control. | Full Fryer Add Split Fryer Add | \$1097 \$1636 | |
| 480VAC | | \$1,534 | |
| Power Cord and Plug - 6 foot, 4 Gauge power cord, with NEMA 15-60P plug. Option available for Domestic SE models, 14KW and 17KW, 3 phase, 208V or 240V fryers only | | | |
| See Prenackaged Flectric Fryer Systems on Page 30 | | | |



^{* *} Model avaibale with Open Kitchen Technology



FILTER-READY SOLSTICE GAS FRYERS

GAS

HIGH PRODUCTION, 57% THERMAL EFFICIENT

Automatic Self Cleaning Burners Standard (Patented)

With the push of a button, our matchless ignition system ignites the pilot. This begins a 30 second automatic self cleaning burner procedure, which ensures optimal burner efficiency. This procedure ensures that the burners stay clean and efficient all day, every day... PERIOD!

(not available with millivolt control)

Matchless Ignition* Ignites the pilot once a each day when the power is turned on.

Universal Control System* Mix and match controls to fit your needs. 12 Button Computer Control, Digital Control, Solid State, or use the Solid State control as a back-up to the Computer or Digital.

Front Serviceable - All components are accessible from the front to make service and maintenance faster and easier.

*Only available with upgraded controls.

Millivolt thermostat standard on Solstice Gas Fryers

CONTROLLER OPTIONS

12 Button Computerized Control standard with twelve count down timers with elastic "flex time" for more product consistency. Melt cycle, boil-out capability and drain valve interlock switch.

Digital Control standard with two count down timers, melt cycle, and drain valve interlock switch.

Solid State Thermostat standard with melt cycle, boil-out capability and drain valve interlock switch.

Millivolt Thermostat standing pilot control with mechanical thermostat. Standard on all Solstice gas fryers.



SOLSTICE BURNER DESIGN

The solstice burner draws more primary air for improved air gas mixture. The baffle design causes a scrubbing action of the flame, squeezing more heat out. This design causes the baffle to get into radiant mode quicker for improved temperature recovery and faster cooking.



SOLSTICE GAS FRYERS

Built in filter drawer filtration for use in multi-fryer systems or a standalone fryer | All Solstice Gas Systems standard with rear "T" gas manifold and 9" legs. For prepackaged systems see page 29.

| Model Number | Oil Capacity (Lbs.) | BTUs | Cook Area (W x D) | Millivolt | SSTC | Digital (D) | 12 Button Computer © | Approx Ship Wt. (lbs.) | Approx Cubic Feet |
|-----------------|------------------------|------|----------------------|-----------|----------|----------------|----------------------------|------------------------------|-------------------------|
| SG14RS | 40-50 | 122K | 14"x14" | \$17,663 | \$19,498 | \$20,203 | \$23,351 | 208 | 17 |

Note 1: Basket Lifts not available with Millivolt or SSTC controller. To meet CSA requirements, all fryers with basket lifts must be ordered with casters and installed with a FLEXIBLE GAS CONNECTOR with restraining device. Add 100 lbs to fryer weight. Basket lifts add 4-1/2" to overall depth of fryer.

SOLSTICE FILTER DRAWER

€

See Pages 21 & 22 for Solstice Filter Drawer, Portable Filter and Oil Reclamation Options

SOLSTICE BREAD AND BATTER - BNB DUMP STATION

Standard with 4-5/8" recessed pan and screen. Scooped pan liner available at no additional cost in lieu of screen. Additional BNB accessories on page 17.

| Model Number | List Price | Approx Ship Wt. (lbs.) | Approx Cubic Feet |
|--|------------|---------------------------|----------------------|
| SGBNB14 | \$2,701 | 150 | 17 |
| SGBNB18 | \$2,751 | 150 | 23 |
| PCF14 (Crisp'N Hold pg 17) | \$14,760 | 210 | 17 |
| PCF18 (Crisp'N Hold pg 17) | \$10,204 | 217 | 23 |
| SGBNB 14 BT Basket Tower - Baskets sold separately. 10 twin baskets required - see page 27 | \$5,829 | 150 | 18 |

CASTERS (1/2 set per cabinet, minimum 1 set)

| # of Fryers | 1 | 2 | 3 | 4 | 5 | 6 |
|-------------|-------|-------|---------|---------|---------|---------|
| List Price | \$787 | \$787 | \$1,180 | \$1,574 | \$1,968 | \$2,361 |

OPTIONS & ACCESSORIES

| Description | List Price |
|---|------------|
| Bulk Fresh Oil Piping Connection Kit (per battery) | \$618 |
| Stainless Steel Back (SS) Per Unit | \$1,187 |
| PFW-1 Built-in Foodwarmer, 750watt for BNB Solstice Bread and Batter Dump Station | \$1,869 |
| Multi-Zone Computer control or Profile Computer control | \$4,149 |
| Backup T-Stat-Full Tank | \$1,097 |
| See Prepackaged Gas Fryer Systems on Page 29 | |



* Some models avaibale with Open Kitchen Technology



SOLSTICE SUPREME - PACKAGED SYSTEMS

| Number of | Model | Model | Model | Model | Model | Suffix SS | Back-up | Basket Lifts |
|---|---|---|---|--|---|--|-----------------|--|
| Fryers | SSH55* | SSH55R | SSH60* | SSH60W | SSH75* | Stainless Back | T-stat | (See Note 1 |
| Solid State The | rmostat - standard v | vith melt cycle, boil- | out capability, and d | rain valve interlock s | witch. | | | |
| 1 | \$41,259 | \$43,590 | \$42,254 | \$42,634 | \$43,467 | \$1,187 | N/A | N/A |
| 2 | \$62,291 | \$66,953 | \$64,282 | \$65,042 | \$66,709 | \$2,374 | N/A | N/A |
| 3 | \$83,324 | \$90,317 | \$86,310 | \$87,450 | \$89,950 | \$3,561 | N/A | N/A |
| 4 | \$104,357 | \$113,681 | \$108,338 | \$109,859 | \$113,192 | \$4,748 | N/A | N/A |
| Digital Control | standard with two o | count down timers, m | nelt cycle, boil-out c | apability, and drain v | alve interlock switch | ٦. | | |
| 1 | \$41,890 | \$44,221 | \$42,885 | \$43,266 | \$44,099 | \$1,187 | \$1,098 | \$5,786 |
| 2 | \$63,554 | \$68,217 | \$65,545 | \$66,305 | \$67,972 | \$2,374 | \$2,196 | \$11,573 |
| 3 | \$85,219 | \$92,212 | \$88,204 | \$89,345 | \$91,845 | \$3,561 | \$3,293 | \$17,359 |
| 4 | \$106,883 | \$116,207 | \$110,864 | \$112,385 | \$115,718 | \$4,748 | \$4,391 | \$23,146 |
| 12 Button Com drain valve inte | | tandard with twelve | count down timers | with elastic "flex tim | e" for more product | consistency. Mel | t cycle, boil-o | ut capability, |
| 1 | \$45,031 | \$47,362 | \$46,027 | \$46,407 | \$47,240 | \$1,187 | \$1,098 | \$5,786 |
| 2 | \$69,837 | \$74,499 | \$71,827 | \$72,588 | \$74,254 | \$2,374 | \$2,196 | \$11,573 |
| 3 | \$94,642 | \$101,635 | \$97,628 | \$98,769 | \$101,268 | \$3,561 | \$3,293 | \$17,359 |
| 4 | \$119,448 | \$128,772 | \$123,429 | \$124,950 | \$128,282 | \$4,748 | \$4,391 | \$23,146 |
| Touch Control - | 7" display, stores ov | er 30 recipes, transf | fers recipes via USB. | | | | , | • |
| 1 | \$47,389 | \$49,720 | \$48,384 | \$48,764 | \$49,598 | \$1,187 | N/A | \$5,786 |
| 2 | \$74,552 | \$79,214 | \$76,542 | \$77,303 | \$78,969 | \$2,374 | N/A | \$11,573 |
| 3 | \$101,715 | \$108,708 | \$104,700 | \$105,841 | \$108,341 | \$3,561 | N/A | \$17,359 |
| 4 | \$101,713 | \$108,708 | \$104,700 | \$105,841 | \$100,341 | \$4,748 | N/A | \$23,146 |
| gas connector | | | | must be ordered witl th of fryer. Add 100 | | . , . | | 720,210 |
| gas connector Not available w | with restraining devi ith SSTC controller. | | 4-1/2" to overall dep | | | . , . | | , |
| gas connector Not available w | with restraining devi ith SSTC controller. | ce. Basket lifts add 4 | 4-1/2" to overall dep | | | . , . | 5 | 6 |
| gas connector Not available w CASTERS (# of Fryers | with restraining devi ith SSTC controller. | ce. Basket lifts add 4 | 4-1/2" to overall dep um 1 set) | th of fryer. Add 100 | lbs to fryer weight. | ed with flexible | 5 \$1,967 | |
| gas connector Not available w CASTERS (# of Fryers Price | with restraining devi ith SSTC controller. (1/2 set per ca | ce. Basket lifts add 4 | 4-1/2" to overall dep um 1 set) 1 \$787 | th of fryer. Add 100 | lbs to fryer weight. | ed with flexible | - | 6 |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE | with restraining devi ith SSTC controller. (1/2 set per ca BREAD & BAT | ce. Basket lifts add 4 abinet, minimu TER - BNB DUN | 4-1/2" to overall dep um 1 set) 1 \$787 MP STATION | th of fryer. Add 100 | 3 \$1,180 | ed with flexible 4 \$1,574 | \$1,967 | 6 \$2,361 |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE | with restraining devi ith SSTC controller. (1/2 set per ca BREAD & BAT | ce. Basket lifts add 4 abinet, minimu TER - BNB DUN | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available | 2 \$787 | 3 \$1,180 | ed with flexible 4 \$1,574 ditional BNB access | \$1,967 | 6 \$2,361 |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE Standard with | with restraining devi ith SSTC controller. (1/2 set per ca BREAD & BAT | abinet, minimu TER - BNB DUN and screen. Scooper | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel | 2 \$787 at no additional cost | 3 \$1,180 in lieu of screen. Ad Approx Ship | ed with flexible 4 \$1,574 ditional BNB access Wt. (lbs.) | \$1,967 | 6 \$2,361 ge 26. Cubic Feet |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE Standard with | with restraining devi ith SSTC controller. (1/2 set per ca BREAD & BAT | ce. Basket lifts add 4 abinet, minimu TER - BNB DUN | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel | th of fryer. Add 100 2 \$787 at no additional cost | 3 \$1,180 | ed with flexible 4 \$1,574 ditional BNB access Wt. (lbs.) | \$1,967 | 6 \$2,361 ge 26. |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE | with restraining devi ith SSTC controller. (1/2 set per ca BREAD & BAT | abinet, minimu TER - BNB DUN and screen. Scooper | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel | 2 \$787 at no additional cost | 3 \$1,180 in lieu of screen. Ad Approx Ship | 4 \$1,574 ditional BNB access Wt. (lbs.) | \$1,967 | 6 \$2,361 ge 26. Cubic Feet |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE Standard with 4 | with restraining devi ith SSTC controller. [1/2 set per ca BREAD & BAT 4-5/8" recessed pan | abinet, minimu TER - BNB DUN and screen. Scooper | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel \$1, | 2 \$787 at no additional cost Back (SS) Add \$ | 3 \$1,180 in lieu of screen. Ad Approx Ship | ed with flexible 4 \$1,574 ditional BNB access Wt. (lbs.) | \$1,967 | 6 \$2,361 ge 26. Cubic Feet |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE Standard with 4 BNB-SSH55 BNB-SSH75 | with restraining devi ith SSTC controller. [1/2 set per can BREAD & BAT 4-5/8" recessed pan Hold pg 17) | abinet, minimu TER - BNB DUN and screen. Scooper \$2,702 \$2,751 | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel \$1, \$1, | th of fryer. Add 100 2 \$787 at no additional cost Back (SS) Add \$ 187 | 3 \$1,180 in lieu of screen. Ad Approx Ship | ed with flexible 4 \$1,574 ditional BNB access Wt. (lbs.) | \$1,967 | 6 \$2,361 ge 26. Cubic Feet 17 |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE Standard with 4 BNB-SSH55 BNB-SSH75 PCF14 (Crisp'N PCF18 (Crisp'N | with restraining devi ith SSTC controller. [1/2 set per can BREAD & BAT 4-5/8" recessed pan Hold pg 17) Hold pg 17) | TER - BNB DUN and screen. Scooper \$2,702 \$2,751 \$14,760 | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel \$1, \$1, | 2 \$787 at no additional cost Back (SS) Add \$ 187 187 | 3 \$1,180 in lieu of screen. Ad Approx Ship | ed with flexible 4 \$1,574 ditional BNB access Wt. (lbs.) | \$1,967 | 6 \$2,361 ge 26. Cubic Feet 17 23 |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE Standard with 4 BNB-SSH55 BNB-SSH75 PCF14 (Crisp'N PCF18 (Crisp'N If BNB or PCF is | with restraining devi ith SSTC controller. (1/2 set per can BREAD & BAT 4-5/8" recessed pan Hold pg 17) Hold pg 17) added between two | TER - BNB DUN and screen. Scooper \$2,702 \$2,751 \$14,760 \$15,164 | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel \$1, \$1, \$1, | 2 \$787 at no additional cost Back (SS) Add \$ 187 187 | 3 \$1,180 in lieu of screen. Ad Approx Ship | ed with flexible 4 \$1,574 ditional BNB access Wt. (lbs.) | \$1,967 | 6 \$2,361 ge 26. Cubic Feet 17 23 |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE Standard with 4 BNB-SSH55 BNB-SSH75 PCF14 (Crisp'N PCF18 (Crisp'N If BNB or PCF is Flush Hose - to | with restraining devi ith SSTC controller. (1/2 set per can BREAD & BAT 4-5/8" recessed pan Hold pg 17) Hold pg 17) added between two | TER - BNB DUN and screen. Scooper \$2,702 \$2,751 \$14,760 \$15,164 | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel \$1, \$1, \$1, | 2 \$787 at no additional cost Back (SS) Add \$ 187 187 | 3 \$1,180 in lieu of screen. Ad Approx Ship | ed with flexible 4 \$1,574 ditional BNB access Wt. (lbs.) | \$1,967 | 6 \$2,361 ge 26. Cubic Feet 17 23 17 |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE Standard with 4 BNB-SSH55 BNB-SSH75 PCF14 (Crisp'N PCF18 (Crisp'N If BNB or PCF is Flush Hose - to | with restraining devi ith SSTC controller. [1/2 set per ca BREAD & BAT 4-5/8" recessed pan Hold pg 17) Hold pg 17) added between two assist in rinsing the | TER - BNB DUN and screen. Scooper \$2,702 \$2,751 \$14,760 \$15,164 fryers, an additional tank during oil filtrat | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel \$1, \$1, \$1, | 2 \$787 at no additional cost Back (SS) Add \$ 187 187 | 3 \$1,180 in lieu of screen. Ad Approx Ship | ed with flexible 4 \$1,574 ditional BNB access Wt. (lbs.) | \$1,967 | 6 \$2,361 ge 26. Cubic Feet 17 23 17 23 \$1,035 \$1,108 |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE Standard with 4 BNB-SSH55 BNB-SSH75 PCF14 (Crisp'N If BNB or PCF is Flush Hose - to Filter Heater - f PFW-1 Built-in | with restraining devi ith SSTC controller. [1/2 set per ca BREAD & BAT 4-5/8" recessed pan Hold pg 17) Hold pg 17) added between two assist in rinsing the or use with solid sho Foodwarmer, 750wa | TER - BNB DUN and screen. Scooper \$2,702 \$2,751 \$14,760 \$15,164 fryers, an additional tank during oil filtrat | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel \$1, \$1, \$1, | 2 \$787 at no additional cost Back (SS) Add \$ 187 187 | 3 \$1,180 in lieu of screen. Ad Approx Ship | ed with flexible 4 \$1,574 ditional BNB access Wt. (lbs.) | \$1,967 | 6 \$2,361 ge 26. Cubic Feet 17 23 17 23 \$1,035 \$1,108 \$1,868 |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE Standard with 4 BNB-SSH55 BNB-SSH75 PCF14 (Crisp'N PCF18 (Crisp'N If BNB or PCF is Flush Hose - to Filter Heater - f PFW-1 Built-in Paperless Filter | with restraining devi ith SSTC controller. [1/2 set per cannel be | TER - BNB DUN and screen. Scooper \$2,702 \$2,751 \$14,760 \$15,164 fryers, an additional tank during oil filtrat | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel \$1, \$1, \$1, \$1, | 2 \$787 at no additional cost Back (SS) Add \$ 187 187 187 ge will apply. | 3 \$1,180 in lieu of screen. Ad Approx Ship | ed with flexible 4 \$1,574 ditional BNB access Wt. (lbs.) | \$1,967 | 6 \$2,361 ge 26. Cubic Feet 17 23 17 23 \$1,035 \$1,108 |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE Standard with 4 BNB-SSH55 BNB-SSH75 PCF14 (Crisp'N If BNB or PCF is Flush Hose - to Filter Heater - f PFW-1 Built-in Paperless Filter APPROXIN | with restraining devi ith SSTC controller. [1/2 set per cannel be | TER - BNB DUN and screen. Scooper \$2,702 \$2,751 \$14,760 \$15,164 fryers, an additional tank during oil filtrat | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel \$1, \$1, \$1, \$1, \$1, \$1, \$1, \$1, \$1, \$1, | th of fryer. Add 100 2 \$787 at no additional cost Back (SS) Add \$ 187 187 187 ge will apply. | 3 \$1,180 in lieu of screen. Ad Approx Ship 15i 21i | ed with flexible 4 \$1,574 ditional BNB acce Wt. (lbs.) 0 | \$1,967 | 6 \$2,361 ge 26. Cubic Feet 17 23 17 23 \$1,035 \$1,108 \$1,868 \$896 |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE Standard with 4 BNB-SSH55 BNB-SSH75 PCF14 (Crisp'N If BNB or PCF is Flush Hose - to Filter Heater - f PFW-1 Built-in Paperless Filter APPROXIN Fryers | with restraining devi ith SSTC controller. [1/2 set per cannel be | TER - BNB DUN and screen. Scooper \$2,702 \$2,751 \$14,760 \$15,164 fryers, an additional tank during oil filtrat | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel \$1, \$1, \$1, \$1, \$1, ART (LBS)(With 1 | 2 \$787 at no additional cost Back (SS) Add \$ 187 187 187 ge will apply. | 3 \$1,180 in lieu of screen. Ad Approx Ship 156 216 | ed with flexible 4 \$1,574 ditional BNB acces Wt. (lbs.) 0 | \$1,967 | 6 \$2,361 ge 26. Cubic Feet 17 23 17 23 \$1,035 \$1,108 \$1,868 \$896 |
| gas connector Not available w CASTERS (# of Fryers Price SOLSTICE Standard with 4 BNB-SSH55 BNB-SSH75 PCF14 (Crisp'N If BNB or PCF is Flush Hose - to Filter Heater - f PFW-1 Built-in Paperless Filter APPROXIN | with restraining devi ith SSTC controller. (1/2 set per ca BREAD & BAT 4-5/8" recessed pan Hold pg 17) Hold pg 17) added between two assist in rinsing the or use with solid sho codwarmer, 750wa of Option IATE SHIPPING | TER - BNB DUN and screen. Scooper \$2,702 \$2,751 \$14,760 \$15,164 fryers, an additional tank during oil filtrat | 4-1/2" to overall depum 1 set) 1 \$787 MP STATION d pan liner available Stainless Steel \$1, \$1, \$1, \$1, \$1, \$1, \$1, \$1, \$1, \$1, | th of fryer. Add 100 2 \$787 at no additional cost Back (SS) Add \$ 187 187 187 ge will apply. | 3 \$1,180 in lieu of screen. Ad Approx Ship 15i 21i | ed with flexible 4 \$1,574 ditional BNB acce Wt. (lbs.) 0 | \$1,967 | 6 \$2,361 ge 26. Cubic Feet 17 23 17 23 \$1,035 \$1,108 \$1,868 \$896 |

SOLSTICE ELECTRIC - PACKAGED SYSTEMS

SOLSTICE ELECTRIC FRYER SYSTEMS WITH FILTER - ELECTRIC 💪

Select From These Fryer Systems Or Build Your Own On Page 12. All Solstice Electric Fryer Systems standard with 9" legs. Casters available below.

| 1 2 3 4 | \$37,258 \$54,290 \$71,321 \$88,353 | \$39,764 \$59,302 \$78,840 \$98,378 | \$42,095 \$63,964 \$85,834 \$107,703 | \$43,752 \$67,277 \$90,803 | \$46,083 \$71,940 \$97,797 | \$1,187 \$2,374 | N/A N/A | N/A N/A |
|------------------------------------|--|--|---|----------------------------------|---------------------------------------|-----------------------|-----------------------|------------------------|
| 3 4 | \$54,290 \$71,321 \$88,353 | \$59,302 \$78,840 \$98,378 | \$63,964 \$85,834 | \$67,277 \$90,803 | \$71,940 \$97,797 | \$2,374 | · | · |
| 3 4 | \$71,321 \$88,353 | \$78,840 \$98,378 | \$85,834 | \$90,803 | \$97,797 | | N/A | N/A |
| 4 | \$88,353 | \$98,378 | , | , | · · · · · · · · · · · · · · · · · · · | 40.54 | | ,,,, |
| | | | \$107,703 | 4444000 | | \$3,561 | N/A | N/A |
| Digital Control | - standard with t | wo count down time | | \$114,329 | \$123,653 | \$4,747 | N/A | N/A |
| Digital Control - | | Journ down time | rs, melt cycle, boil-οι | ıt capability, and drai | in valve interlock swi | tch. | | |
| 1 | \$37,889 | \$40,396 | \$42,727 | \$44,383 | \$46,714 | \$1,187 | \$1,097 | \$5,786 |
| 2 | \$55,553 | \$60,565 | \$65,227 | \$68,541 | \$73,203 | \$2,374 | \$2,196 | \$11,573 |
| 3 | \$73,216 | \$80,735 | \$87,728 | \$92,698 | \$99,691 | \$3,561 | \$3,293 | \$17,359 |
| 4 | \$90,879 | \$100,905 | \$110,229 | \$116,855 | \$126,180 | \$4,747 | \$4,391 | \$23,146 |
| 12 Button Comp interlock switch | | ol - standard with two | elve count down time | ers with elastic "flex | time" for more produ | ict consistency. Melt | cycle, boil-out capab | ility, and drain valve |
| 1 | \$41,030 | \$43,537 | \$45,868 | \$47,524 | \$49,855 | \$1,187 | \$1,097 | \$5,786 |
| 2 | \$61,835 | \$66,848 | \$71,510 | \$74,823 | \$79,485 | \$2,374 | \$2,196 | \$11,573 |
| 3 | \$82,639 | \$90,158 | \$97,152 | \$102,121 | \$109,115 | \$3,561 | \$3,293 | \$17,359 |
| 4 | \$103,444 | \$113,469 | \$122,794 | \$129,420 | \$138,744 | \$4,747 | \$4,391 | \$23,146 |
| Touch Control - | 7" display, store | s over 30 recipes, tr | ansfers recipes via U | ISB. | | | | |
| 1 | \$43,388 | \$45,894 | \$48,225 | \$49,882 | \$52,213 | \$1,187 | N/A | \$5,786 |
| 2 | \$66,550 | \$71,563 | \$76,225 | \$79,538 | \$84,200 | \$2,374 | N/A | \$11,573 |
| 3 | \$89,712 | \$97,231 | \$104,224 | \$109,194 | \$116,187 | \$3,561 | N/A | \$17,359 |
| 4 | \$112,874 | \$122,900 | \$132,224 | \$138,767 | \$148,174 | \$4,747 | N/A | \$23,146 |

Note 1: Basket Lifts not available with SSTC controller. Add 100 lbs to fryer weight. Basket lifts add 4-1/2" to overall depth of fryer. Basket lifts are wired at the factory for fryer voltage on 208v, 240v models. All 440-480v models require an additional 115v supply to power the basket lifts.

CASTERS (1/2 set per cabinet, minimum 1 set)

| Number of Fryers | 1 | 2 | 3 | 4 | 5 | 6 |
|------------------|-------|-------|---------|---------|---------|---------|
| Price | \$787 | \$787 | \$1,180 | \$1,574 | \$1,968 | \$2,361 |

SOLSTICE BREAD & BATTER - BNB DUMP STATION

Standard with 4-5/8" recessed pan and screen. Scooped pan liner available at no additional cost in lieu of screen. Additional BNB accessories on page 26.

| | | Stainless Steel Back (SS) Add \$ | Approx Ship Wt. (lbs.) | Approx Cubic Feet |
|-----------------------------|----------|----------------------------------|------------------------|-------------------|
| BNB-SE14 | \$2,702 | \$1,187 | 150 | 17 |
| BNB-SE18 | \$2,752 | \$1,187 | 150 | 23 |
| PCF-14 (Crisp'N Hold pg 14) | \$14,761 | \$1,187 | 210 | 17 |
| PCF-18 (Crisp'N Hold pg 14) | \$15,163 | \$1,187 | | 23 |

If BNB or PCF is added between two fryers, an additional \$1,284 piping charge will apply.

| Flush Hose - to assist in rinsing the tank during oil filtration | \$1,035 |
|--|-------------------|
| Filter Heater - for use with solid shortening | \$1,108 |
| PFW-1 Built-in Foodwarmer, 750watt | \$1,869 |
| Paperless Filter Option | \$896 |
| 480 VAC | \$1,534 per fryer |
| | |

Power Cord and Plug-6 foot, 4 gauge power cord with NEMA 15-60P Plug, Option available for Domestic SE models, 14KW and 17KW 3 phase, 208V or 240V fryers only

APPROXIMATE SHIPPING WEIGHT CHART (LBS) (With Filter)

| Fryers | 1 | 2 | 3 | 4 | 5 | 6 |
|------------------|-----|-----|-----|------|------|------|
| SE14X/SE14/SE14R | 350 | 550 | 785 | 980 | 1195 | 1410 |
| SE18S/SE18R | 380 | 602 | 843 | 1084 | 1325 | 1566 |

 * For BNB dump station, add 150 lbs to above weight \mid * For basket lifts, add 100 lbs per fryer to above weight.

For systems with SE14TS, SE14TRS Twin Tank fryers or mix and match configurations, please contact your Pitco representative or call the factory for pricing assistance.

\$760 per fryer

SOLSTICE GAS - PACKAGED SYSTEMS

SOLSTICE GAS SYSTEMS WITH FILTER - GAS



Select From These Systems Or Build Your Own On Page 14.

All Solstice Gas Fryer Systems standard with rear "T" manifold and 9" legs. Casters available blow.

| Number of Fryers | Model SG14RS | Suffix SS Stainless Back | Back-up T-stat | Basket Lifts (See Note 1) |
|---------------------------------------|--|--------------------------------|-------------------|------------------------------|
| Millivolt Thermos | stat | | | |
| 1 | \$40,011 | \$1,187 | N/A | N/A |
| 2 | \$59,798 | \$2,373 | N/A | N/A |
| 3 | \$79,585 | \$3,562 | N/A | N/A |
| 4 | \$99,369 | \$4,747 | N/A | N/A |
| Solid State Ther valve interlock s | mostat - standard with melt cycle, boil-out capability, matchless ignition and drain witch. | | | |
| 1 | \$41,847 | \$1,187 | N/A | N/A |
| 2 | \$63,468 | \$2,373 | N/A | N/A |
| 3 | \$85,090 | \$3,562 | N/A | N/A |
| 4 | \$106,710 | \$4,747 | N/A | N/A |
| | standard with two count down timers, melt cycle, boil-out capability, matchless n valve interlock switch | | | |
| 1 | \$42,552 | \$1,187 | \$1,097 | \$5,787 |
| 2 | \$64,877 | \$2,373 | \$2,196 | \$11,573 |
| 3 | \$87,202 | \$3,562 | \$3,293 | \$17,360 |
| 4 | \$109,529 | | \$4,391 | \$23,145 |
| | uterized Control - standard with twelve count down timers with elastic "flex time" consistency. Melt cycle, boil-out capability, and drain valve interlock switch. | | | |
| 1 | \$45,700 | \$1,187 | \$1,097 | \$5,787 |
| 2 | \$71,173 | \$2,373 | \$2,195 | \$11,573 |
| 3 | \$96,646 | \$3,562 | \$3,293 | \$17,360 |
| 4 | \$122,120 | | \$4,391 | \$23,145 |

Note 1: To meet CSA specification, all gas fryers with basket lifts must be ordered with casters and installed with flexible gas

connector with restraining device. Basket lifts add 3-7/8" to overall depth of fryer. Not available with Millivolt or Solid State.

CASTERS (1/2 set per cabinet, minimum 1 set)

| Number of Fryers | 1 | 2 | 3 | 4 | 5 | 6 |
|------------------|-------|-------|---------|---------|---------|---------|
| Price | \$787 | \$787 | \$1,180 | \$1,574 | \$1,968 | \$2,361 |

SOLSTICE BREAD & BATTER - BNB DUMP STATION

Standard with 4-5/8" recessed pan and screen. Scooped pan liner available at no additional cost in lieu of screen. Additional BNB accessories on page 26.

| | | Stainless Steel Back (SS) Add \$ | | Approx Cubic Feet |
|----------------------------|----------|-------------------------------------|-----|----------------------|
| SGBNB14 | \$2,702 | \$1,187 | 150 | 17 |
| SGBNB18 | \$2,752 | \$1,187 | 150 | 23 |
| PCF14 (Crisp'N Hold pg 17) | \$14,761 | \$1,187 | 210 | 17 |
| PCF18 (Crisp'N Hold pg 17) | \$15,163 | \$1,187 | 217 | 23 |

If BNB or PCF is added between two fryers, an additional \$ 1,284 piping charge will apply.

| Flush Hose - to assist in rinsing the tank during oil filtration | \$1,035 |
|--|---------|
| Filter Heater - for use with solid shortening | \$1,108 |
| PFW-1 Built-in Foodwarmer, 750watt | \$1,869 |
| Paperless Filter Option | \$896 |

APPROXIMATE SHIPPING WEIGHT CHART (LBS)

| Fryers | 1 | 2 | 3 | 4 | 5 | 6 |
|--------|-----|-----|-----|-----|------|------|
| SG14 | 350 | 550 | 785 | 980 | 1195 | 1410 |

 $^*\mbox{For BNB}$ dump station, add 150 lbs to above weight | $^*\mbox{For basket lifts},$ add 100 lbs per fryer to above weight.



SG14R-2 shown with optional filter drawer & casters



Baskets

Twin,
Triple, or Full
Options Available





Tank Cover

Splash Guard

Covers & Guards

For Fryers and Pasta Cookers



DON'T FORGET ACCESSORIES See pages 27-30 for all available accessories



Tank Screen

Racks and Mesh Screens For Gas and Electric Fryers



Check out some other product specific accessories on the designated product pages



STANDARD FRYERS

STANDARD FRYERS

GAS

Model E35 - Electric Floor Fryer

- Stainless steel tank, front, door and sides
- Sealed construction heating elements with high temperature alloy stainless steel sheath

ENERGY STAR® QUALIFIED MODELS

Model VF65

- 40% less gas with same production rate as a 65C+S
- 65lb Oil Capacity
- 95,000 BTU





VF65

STANDARD FRYERS

STANDARD SOLSTICE FLOOR FRYERS - GAS

Stand alone only. Millivolt control only. Not available with Filter Drawer filtration system or in a battery.

| | Model Number | Oil Capacity (Lbs.) | BTUS | Cook Area W x D | Suffix S Stainless Steel Tank/Front/Door | Approx Ship Wt. (lbs.) | Approx Cubic Feet |
|---------------------|-----------------|------------------------|------------|--------------------|--|------------------------------|-------------------------|
| CE | SG14 | 40-50 | 110,000 | 14"x 14" | \$13,223 | 200 | 17 |
| ϵ | SG14R | 40-50 | 122,000 | 14"x 14" | \$16,654 | 208 | 17 |
| $\epsilon \epsilon$ | SG14T | 20-25 each | 50000 each | 14"x 14" | \$18,354 | 230 | 17 |
| $\epsilon\epsilon$ | SG18 | 70-90 | 140,000 | 18"x 18" | \$17,736 | | 23 |

Casters, covers and other accessories available on pages 26.

VALUE PRICED FRYER - GAS

Free Standing, stand alone fryer. Millivolt control only | Energy Star Qualified Models are marked with Asterisk*

| | Model Number | Oil Capacity (Lbs.) | BTUS | Cook Area W x D | Suffix S Stainless Steel Tank/ Front/Door | Approx Ship Wt. (lbs.) | Approx Cubic Feet |
|--------------------|-----------------|------------------------|--------|--------------------|---|------------------------------|-------------------------|
| $\epsilon\epsilon$ | VF35 | 35 | 70,000 | 14"x 13-5/8" | \$5,650 | 161 | 17 |
| $\epsilon\epsilon$ | VF65 | 65 | 95,000 | 18x17 11/32" | \$8,464 | 180 | 23 |

SOLSTICE COUNTERTOP FRYER - GAS

Models not available with Filter Drawer filtration. See page 21 for portable filter systems | Energy Star Qualified Models are marked with Asterisk*

| Model Number | Oil Capacity (Lbs.) | BTUs | Cook Area W x D | Stainless Steel Tank | Approx Ship Wt. (lbs.) | Approx Cubic Feet |
|-----------------|------------------------|--------|--------------------|-------------------------|---------------------------|----------------------|
| SGC | 35 | 70,000 | 14"x 13-5/8" | \$13,791 | 150 | 17 |

A 70,000 BTU counter top version of our popular Solstice fryer. With a 13" wide cook surface, this fryer uses standard fry baskets. The unit can be flush mounted, or on 4" flange legs that are included.

STANDARD & ECONOMY FRYERS- ELECTRIC

| Model | Oil Capacity | Power | Cook Area | Stainless Steel | Approx Ship | Approx Cubic | Cutout |
|--------|--------------|-------|-----------|-----------------|-------------|--------------|--------------|
| Number | (Lbs.) | (kW) | W x D | Tank | Wt. (lbs.) | Feet | Dimensions |
| E35 | 35 | 15 | 14"x 14" | \$7,658 | 200 | 17 | 15"x 32-1/8" |

 \in

CE approvals for individual models may not be available with all options or in all areas. Consult the factory for more information.

MEGAFRY FRYERS

GAS

HIGH EFFICIENCY & HIGH PRODUCTION

145.6 lbs/hour 36% more than SSH75R!

FEATURES

- High Efficiency & High Production
- Upgrade controls available
- Optional filtration system
- Standard with stainless steel tank, front, sides and splashback
- Standard with solid state control
- Upgrade controls available
- Standard with Large Baskets (A4514702)





SGM24 with 12 Button Computer & optional casters and 1 large/2 small basket configuration

| MEGAFRY - GAS | 6 | | | | | | | | |
|-----------------------|------------------------|------------------|--------------------|-----------------------|----------------|----------------------------|----------------------------------|---------------------------|--------------------|
| | | | | | CONTROLL | ER OPTIONS | | | |
| Model Number | Oil Capacity (Lbs.) | BTUs | Cook Area W x D | Solid State (SSTC) | Digital (D) | 12 Button Computer © | Touch Screen (VS7) UPGRADE | Approx Ship Wt. (lbs.) | Approx Cub Feet |
| SGM24 | 140-150 | 165,000 | 24"x24" | \$30,533 | \$31,164 | \$34,306 | \$2358/pot | 375 | 56 |
| MEGAFRY-BASH | KET OPTIONS | - QUANTIT | Y REQUIRE | D | | | | | |
| | | | | | SGM24 | | | | |
| Small A4514701 | | 4 | | 2 | | - | | | |
| Large A4514702 | | - | | | 1 | | 2 | | |
| FILTER DRAWER | FILTRATION | SYSTEM F | OR MEGAFR | Y OR FLAT | BOTTOM F | RYER | , | | |
| # of Fryers in System | 1 | | 2 | 2 | ; | 3 | | 4 | |
| FD-MEGA | \$22,7 | '59 | \$24, | 921 | \$27 | ,085 | \$29,246 | | |
| MEGAFRY - Filter mu | st be under large | est fryer in the | battery | | | | | | |
| CASTERS FOR N | MEGAFRY OR | FLAT BOTT | OM FRYER | | | | | | |
| Number of Fryers | | | | 1 | 2 | 3 | 4 | 5 | 6 |
| | | | | 1 set | 1.5 sets | 2 sets | 2.5 sets | 3 sets | 3.5 sets |
| MEGAFRY | | | | \$787 | \$1,180 | \$1,574 | \$1,968 | \$2,361 | \$2,755 |

| OPTIONS & ACCESSORIES | |
|-----------------------|------------|
| Description | List Price |
| Submerger Option | \$533 |



FLAT BOTTOM FRYER


- Perfect for free float frying, no tubes
- 24" x 24" and 18" x 24" sizes
- Standard mild steel tank
- Matchless Ignition
- Standard stainless steel front, sides and splashback
- No combustion blower
- Optional filter system

| FLAT BOTTOM FRYER - GAS 👌 | | | | | | | | |
|--------------------------------|------------------------|------------|--------------------|-----------------------|----------------|---------------------------|----------------------|--|
| Model Number | Oil Capacity (Lbs.) | BTUs | Cook Area W x D | Solid State (SSTC) | Digital (D) | Approx Ship Wt. (lbs.) | Approx Cubic Feet | |
| FBG24 | 57-87 | 120,000 | 24"x 24" | \$28,952 | \$29,583 | 423 | 47 | |
| FBG18 | 42-65 | 100,000 | 18"x 24" | \$26,849 | \$27,480 | 355 | 39 | |
| FILTER DRAWER FILTRATION S | YSTEM FOR | FLAT BOTTO | M FRYERS | 3 | | | | |
| Number of fryers in system | | | | 1 | 2 | 3 | 4 | |
| FD-Flat Bottom | | | | \$22,759 | \$24,921 | \$27,085 | \$29,246 | |
| CASTERS FOR FLAT BOTTOM FRYERS | | | | | | | | |
| Number of fryers | | 1 | 2 | 3 | 4 | 5 | 6 | |
| Flat Bottom | | \$787 | \$787 | \$1,180 | \$1,574 | \$1,968 | \$2,361 | |

| OPTIONS & ACCESSORIES | |
|-----------------------|------------|
| Description | List Price |
| Tank Divder FBG | \$381 |
| Crumb Tray FBG | \$169 |



FBG24X24, FB24X24, FD-FLAT BOTTOM WITH OPTIONAL CASTERS



TANK DIVIDER OPTION AND CRUMB TRAY ACCESSORY

OIL HANDLING

OIL FILTRATION AND RECLAMATION SYSTEMS







| FAT VAT | | | | | | | |
|--|------------|--|--|--|--|--|--|
| Description | List Price | | | | | | |
| Convenient, safe oil transport system holds 40 pounds (5.3 gallons) | \$2,226 | | | | | | |
| PORTABLE FILTRATION | | | | | | | |
| Filter requires senerate power connection. For use with gas or electric fryers | | | | | | | |

| | Model Number | Oil Capacity (Lbs.) | Filter mounted on 2" casters For use with: | List Price | Heater (add-on) | Filter (add-on) | Approx Ship Wt. (lbs.) |
|---------------------|-----------------|------------------------|---|---------------|--------------------|--------------------|---------------------------|
| € | P14 | 55 | All 14 size fryers | \$9,705 | \$1,108 | \$896 | 131 |
| $\epsilon\epsilon$ | P18 | 75 | All 18 size fryers | \$11,450 | \$1,108 | \$896 | 156 |
| $\epsilon\epsilon$ | RP14 | 55 | All 14 size fryers (Reversible Pump) | \$10,237 | \$1,108 | \$896 | 131 |
| $\epsilon \epsilon$ | RP18 | 75 | All 18 size fryers (Reversible Pump) | \$12,003 | \$1,108 | \$896 | 156 |

OIL RECLAMATION




With Pitco's internal oil reclamation **system,** a third party oil company can install their holding system and connect it directly to a Pitco fryer system. This means an operator has no spilling and no burning hazards when it comes to the disposal of used oil. Pitco's filter pump will deliver used oil to a third party holding tank. Just another way Pitco is saving its customers money. Tie into a third party remote oil system with waste oil piping option, for use with Solstice Filter.

| Description | List Price |
|---|------------|
| Waste oil piping option (for liquid shortening) | \$2,123 |
| Solid shortening upgrade (for solid shortening) | \$3,231 |

SOLSTICE FILTER DRAWER

SMART, SIMPLE AND EASY TO USE

With a 3" drain line, 8 gallon per minute oil pump, & simple two step filter process, what could be easier?



The Solstice Filter System is available on two or more fryers, or the Solstice SoloFilter can be paired with a single gas or electric fryer.

SOLSTICE FILTER DRAWER OIL FILTRATION SYSTEM

Number of Full and/or Twin Tanks in System - Note: Twin Tank = 2 Tanks Solstice filter requires separate power connection on all gas fryers and electric fryers of 400 or 440 volt

| FD-Solstice | SoloFilter | 2 | 3 | 4 | 5 | 6 | Approx Ship Wt. (lbs.) |
|-------------|------------|----------|----------|----------|----------|----------|---------------------------|
| | \$22,349 | \$24,471 | \$26,594 | \$28,717 | \$30,840 | \$32,963 | 150 |

Filter Drawer Guidelines:

- 1. All filters for gas fryers are available in 115vac -60hz. All single phase. For other voltages, please contact factory.
- 2. All filters for electric fryers are wired at the factory for the fryer voltage on models from 208-240v. All 440-480v units require an additional 115v supply to power the filter system.
- 3. Tie into a remote oil system with waste oil piping option, for use with Solstice Filter Drawer in a battery of two or more fryers see page 21 for more details

OPTIONS & ACCESSORIES

| Description | List Price |
|--|------------|
| Flush Hose - to assist in rinsing the tank during oil filtration | \$1,035 |
| Filter Heater - for use with solid shortening | \$1,108 |
| Special Piping Charges For All Filter Systems - Piping charge for fryer to add to existing Solstice Battery Filter Drawer or SoloFilter, and piping through a BNB Dump Station | \$2,123 |
| Paperless Filter Option | \$896 |

HOLDING & MERCHANDISING

ELECTRIC

DON'T HOLD YOUR FOOD, CRISP IT!

- Gentle hot air circulation draws air across and through food product for optimal temperature and texture to maintain warmth and crispness
- Heating elements and components located away from oils and vapors
- Large landing zone and adjustable and removable dividers for flexible product holding and easy cleaning
- All stainless steel construction with removable product tray and grease filters for easy cleaning
- Floor models can be used in a Solstice Fryer battery to keep food products crispy, hot, and ready to serve
- Large product landing zone



Food comes out of the fryer at 200° to 210°F. Active air circulation through the food, cools product to holding temperature quickly to reduce moisture loss and stop the cooking process. Excess moisture and oils are wicked away from the product and it remains crispy for an extended time.

HEAT LAMP PERFORMANCE

Food comes out of the fryer at 200° to 210°F. Under the heat lamp, heat is released slowly from the product as it continues to cook for as long as 45 minutes. Moisture and oil seep out and collect on the food. The result is overcooked and mushy product after 10-15 minutes.



PCF18

| CRISP N'HOLD CRISPY FOOD STATION - ELECTRIC 🗲 | | | | | | | | |
|---|----------|----------|------------|--------------------------|--|--|--|--|
| Model Number | Soctions | | List Price | Approx Ship Wt.(lbs.) | | | | |
| COUNTER MODELS | | | | | | | | |
| PCC14 | 2 | 837 | \$12,059 | 60 | | | | |
| PCC18 | 3 | 1050 | \$12,413 | 70 | | | | |
| PCC28 | 4 | 1780 | \$15,861 | 98 | | | | |
| FLOOR MODELS | | | | | | | | |
| PCF14/PCFLV14 | 2 | 837/625 | \$14,761 | 210 | | | | |
| PCF18/PCFLV18 | 3 | 1050/821 | \$15,163 | 217 | | | | |
| * Counterton models (PCC) can not be used on existing RNR units | | | | | | | | |

SOLSTICE BREAD AND BATTER - BNB DUMP STATION

| Model Number | List Price | Approx Ship Wt. (lbs.) | Approx Cubic Feet |
|---|------------|---------------------------|----------------------|
| BNB (SSH55, SE14, SG14) SELV14, SSHLV14 | \$2,702 | 150 | 17 |
| BNB (SSH75, SE18, SG18) | \$2,752 | 150 | 23 |

OPTIONS & ACCESSORIES

| Description | List Price |
|--|------------|
| Stainless Steel Back (SS) Per Unit | \$1,187 |
| PFW-1 Built in Foodwarmer, 750watt for BNB Bread and Batter Dump Station | \$1,869 |
| Basket Tower (SELV14, SSHLV14, SSH55, SE14, SG14R) | \$5,830 |

C€ C€




DISCOVER HOW A **RETHERMALIZER** ADDS VERSATILITY & MORE



SOLSTICE BURNER DESIGN

The solstice burner draws more primary air for improved air gas mixture. The baffle design causes a scrubbing action of the flame, squeezing more heat out. This design causes the baffle to get into radiant mode quicker for improved temperature recovery and faster cooking.







Check out our blog for more details on how a rethermalizer can change both your menu and your kitchen operations at www.pitco.com/blog

Add Menu Versatility

Experience the benefits of re-heating high quality food products previously prepared and frozen in bulk. Reduce kitchen labor and training as well as store-site equipment requirements. Pitco Solstice Rethermalizers with marine grade stainless steel hold foods at a precise set temperature.



Rethermalizers have many options including racks, suitcases and baskets. Racks and suitcases come in 8 or 12 product capacities.



Sous Vide = cooking under vacuum Water Retherm = reheating under vacuum

MORE **BENEFITS**OF RETHERM

REDUCES FOOD WASTE & INCREASES FOOD SAFETY


FOOD REMAINS AT SAFE SERVING TEMPS ALL DAY

HOLDS FOOD AT EXACT SERVING TEMPERATURE

MINIMIZED KITCHEN LABOR AND TRAINING **SOLSTICE SUPREME PASTA COOKER**

GAS & ELECTRIC

- Gas Solstice Burner Technology, No Blower or Ceramics
- Gas Self Cleaning Burner System & Down Draft Protection (patented)
- High Efficiency Design
- Standard with 4 Button Digital Controller
- Rinse Faucet Standard on Rinse Station
- Now Includes Standard Water Fill
- Drain "T" Manifold Standard on Pasta Cookers Combined with Rinse Station



Individual Portion Cups and Rack - (9) 4"x4" cups for use in gas or electric. For cooking or reconstituting of single portions.



Bulk Baskets

Small 13-1/4" x 13-1/4" x 9" for use

Oblong Baskets - 15-3/4" x 6" x 7" for use with any pasta cooker. Can also be used with dual basket lift. For cooking of smaller portions. Can be used as holding rack for small round baskets. 2 ea.



Round Baskets - 4-5/8" or 6-1/4" for use with gas or electric. Standard or fine mesh available. For cooking of various types of pasta or recon-

stituting of small portions.







| \in | |
|--------------------|--|
| $\epsilon\epsilon$ | |
| | |

Water Capacity All Stainless Approx Ship Approx Cubic **BTUs** (Gallons) Number Steel Wt. (lbs.) Feet SSPG14 60K 12 \$24,700 250 55 SSRS14 Rinse Station n/a 10 \$11.229 136 17

SOLSTICE SUPREME PASTA COOKER - ELECTRIC

| | Model Number | BTUs | Water Capacity (Gallons) | All Stainless Steel | Approx Ship Wt. (lbs.) | Approx Cubic Feet |
|----|----------------------|------|-----------------------------|------------------------|---------------------------|----------------------|
| (€ | SSPE14 | 12.5 | 12 | \$19,780 | 177 | 17 |
| CE | SSRE14 Rinse Station | n/a | 10 | \$11,229 | 136 | 17 |

SOLSTICE SUPREME PASTA COOKER OPTIONS & ACCESSORIES

| Description | List Price |
|--|------------|
| Quick Set Timer (can not be used with basket lifts) | \$499 |
| Single Basket Lift* (adds 4-1/2" to overall depth) | \$2,893 |
| Dual Basket Lift* (adds 4-1/2" to overall depth) | \$5,787 |
| Rinse Tank Insulation | \$2,311 |
| Drain "T" Manifold (specify when ordering) | N/C |
| Water Quick Disconnect | \$954 |
| Casters | \$787/Set |
| Water Saving Flow Regulated Mixing Valve (In addition to standard manual fill) - Available on Gas Units Only | \$1,195 |
| *Gas units with hasket lifts must include casters | |

SOLSTICE RETHERMALIZER

• Gas Self Cleaning Burner system and down draft protection (patented)

GAS & ELECTRIC

- Solstice combustion system for improved gas efficiency
- Reduces kitchen labor and training
- Improves kitchen safety

SRTE14-2-GM (Dual)

 \in

CE

- Convenience over range top application
- · Exceptional product quality
- Reduces energy usage

\$36,603





| | | | | , | | ric Rethermalizer | | | |
|---|-----------------------------|-----------|-----------------------------|--|--|---------------------------|--|--|--|
| | WATER RETHERMALIZER - GAS 👌 | | | | | | | | |
| | Model Number | BTUs | Water Capacity (Gallons) | Suffix S Stainless Tank, Front and Door Digital Control | Stainless Back & Sides (SS) Add \$ | Approx Ship Wt. (lbs.) | | | |
| • | SRTG-X (Single) | 55,000 | 17.5 | \$23,233 | \$1,323 | 220 lbs. | | | |
| : [| SRTG-X2 (Dual) | 110,000 | 17.5 ea | \$40,807 | \$2,644 | 477 lbs. | | | |
| Standard with Digital Thermostat, matchless ignition, automatic water fill, auxiliary manual fill, common drain/ overflow, stainless steel hinged tank cover(s), tube rack, Supplied with cord and plug. SOLSTICE RETHERMALIZER - ELECTRIC / | | | | | | r(s), tube rack, 6" legs. | | | |
| | | | | | | | | | |
| | Model Number | kW | Water Capacity (Gallons) | Suffix S Stainless Tank, Front and Door Digital Control | Stainless Back & Sides (SS) Add \$ | Approx Ship Wt. (lbs.) | | | |
| ۱. | SRTE14-GM (Single) | 10.5 kW * | 16.5 | \$21,968 | \$1,323 | 220 lbs. | | | |

Standard with Digital Thermostat, automatic water fill, auxiliary water fill, common drain/over flow, stainless steel hinged tank cover(s), element rack, 6" legs. No power cord supplied for single phase models, available at additional charge 3 phase. Electric service must be hard wired by a licensed electrician. *Power Rating is 8kW at 208V and 10.5kW at 240V

16.5 ea

Power Cord and Plug - 6 foot, 4 Gauge power cord, with NEMA 15-60P plug. Option available for SRTE models 3 phase, 208V or 240V appliances only

10.5 kW ea*

\$760

477 lbs.

\$2,644

| JUUNIER | TOP RET | HERMALIZER | - ELECTRIC |
|---------|---------|------------|------------|
| | | | |

| Model Number | KW | Water Capacity (Gallons) | Stainless Back & Sides (SS) Add \$ | Approx Ship Wt. (lbs.) |
|-----------------|------|-----------------------------|--|---------------------------|
| CRTE | 6 kW | 6 | \$8,829 | 60 |
| | | | | |

FLOOR MODELS OPTIONS & ACCESSORIES

| Description | | |
|--|--------------------------|-----------|
| Casters - 1/2 Set per tank, minimum 1 set | | \$787 set |
| Water Quick Disconnect- Self closing single hand operation water supply hose | | |
| 1/3 Pan Rails -Holds various sizes of hotel pans to keep foods warm. | Set of 2 for single tank | \$602 |
| 1/3 ran kans -noius various sizes of notei pans to keep toods warm. | Set of 3 for dual tank | \$902 |

RACKS

| KAOKO | | |
|-----------------------------------|-------------|------------|
| Description | Part Number | List Price |
| 8 product/Tall Vertical Food Rack | B4511001 | \$522 |
| 8 product/Vertical Food Rack | B4509402 | \$592 |
| 12 Product Horizontal Food Rack | B4513001 | \$390 |
| SUITCASES | | |
| Food Product Suitcase/Narrow | B4511101 | \$225 |
| Food Product Suitcase/Wide | B4511102 | \$225 |
| Food Product Suitcase/Tall Narrow | B4513302 | \$351 |
| Food Product Suitcase/Tall Wide | B4513301 | \$558 |
| Suitcase, 2.50" Wide | B4516101 | \$443 |
| BASKETS | | |
| B4511601 | | \$915 |
| B4511501 | | \$373 |

OPTIONS & ACCESSORIES

FLEXIBLE CONNECTORS (GAS QUICK DISCONNECT) Gas quick disconnect couplings with flexible hose, restraining device and thermal shut-off

| | Disconnect E | BTU Capacity | | |
|--------------------|--------------|----------------|-------------|------------|
| Gas Connector Size | Single Units | Multiple Units | Part Number | List Price |
| 3/4" x 36" | 240,000 | | B8003102 | \$1,409 |
| 3/4" x 48" | 240,000 | | B8003103 | \$1,567 |
| 1" x 36" | | 390,000 | B8003105 | \$1,708 |
| 1" x 48" | | 390,000 | B8003106 | \$1,947 |
| 1-1/4" x 36" | | 575,000 | B8003108 | \$2,318 |
| 1-1/4" x 48" | | 575,000 | B8003109 | \$2,599 |

FRYERS CLEANING ACCESSORIES

| Description | Use | Part Number | List Price |
|-------------------|--|---|------------|
| Clean Out Rod | Used to clean fryer drain line | STD-A3301001, SELVA3881001 SSHLV-A3381003, SELV-A3381003 | \$92 |
| Cleaner - 25 Lbs. | Extends the life of the fryer and shortening | P6071397 | \$569 |
| Cleaning Brush | High temperature, Teflon cleaning brush | PP10056 | \$182 |
| Crumb Scoop | Designed to fit between tubes and elements for removal of heavy sediment | Std-B7490701 Twin,SE-B5008101, SSHLV-B500812 | \$160 |
| Fat Vat | Convenient, safe oil transport system holds 40 pounds (5.3 gallons) | D9109105 | \$2,226 |
| Skimmer | Used for removing food particles from the oil surface | PP10725 | \$109 |

FILTER ACCESSORIES

| Description | Use | Part Number | List Price |
|---------------------------|--|-------------|------------|
| Filter Shovel Scoop | Used to remove debris from filter pan | B6681201 | \$122 |
| Powder | Filter powder - 120, 8 oz. packets | PP10733 | \$288 |
| Paperless Filter Assembly | (Priced as substitute for standard assembly in new filter system.) | | \$896 |

FILTER PAPER

| Part Number | Model Number | Туре | Paper Quantity | Gauge | Size | List Price |
|-------------|---|----------|----------------|------------|-------------------|------------|
| PP10613 | Solstice Filter Drawer | Envelope | 100 | Heavy Duty | 18-1/2" x 20-1/2" | \$511 |
| A6667104 | SFSSH55/T/R, SFSG14R, SFSE14/T/R/TR, ROV Solo & Dual | Envelope | 100 | Heavy Duty | 10" x 20-1/2" | \$309 |
| A7025301 | SFSSH75/R, SFSE18/R, SFSGM1824, SFSGM24, ROV Triple and up | Envelope | 45 | Heavy Duty | 14" x 22" | \$430 |
| A6667105 | ROV Triple and up | Envelope | 100 | Heavy Duty | 14" x 22" | \$347 |
| P6071371 | P14 | Flat | 100 | Standard | 13-1/2" x 24" | \$320 |
| PP10612 | P14 | Flat | 100 | Heavy Duty | 13-1/2" x 24" | \$404 |
| P6071373 | P18 | Flat | 100 | Standard | 17-1/2" x 28" | \$411 |
| PP10606 | P18 | Flat | 100 | Heavy Duty | 17-1/2" x 28" | \$513 |
| A6667103 | RP14 and RP18 | Envelope | 100 | Heavy Duty | 20-1/2 x 14-1/4" | \$408 |

INSTITUTIONAL PACKAGES

| Description | SG14R, SSH55/55R/55T, SSH60/60R, SE14/14R/14T | SSH75/75R, SSH60W/60WR, SE18/18R | MEGAFRY | FD Filter Drawer | BNB |
|---------------------------------------|--|--|----------|------------------|----------|
| Door Latch Assembly | Required | Required | Required | | Required |
| 16ga. Tank/Front panel cover assembly | Required | Required | Required | | Required |
| Flanged legs | Required | Required | Required | | Required |
| Stainless back | Required | Required | Required | | Required |
| Gas - Total Add-on | \$3,237 | \$3,422 | \$3,942 | See Note 1 | \$2,711 |
| Electric - Total Add-on | \$3,601 | \$3,809 | n/a | See Note 1 | \$3,085 |

Locks and keys to be supplied by end user

NOTE 1: No modifications required for institutional packages on this product

• All exposed fasteners meet or exceed requirements set forth by the American Correctional Food Service association (Std. No. 1, section 1401)



[•] Not available with institutional package: Basket Lifts, Filter Flush Hose, Quick Disconnects, Casters, Fat Vat

| TANK COVER CHART Model Number | 18 Gauge Cover | | List Price (Each |
|---|--|-------------|--|
| Without Basket Lifts | 10 dadge 0000. | | 2.5011100 (2.0011 |
| SSHLV14, SSHLV14T, SELV14, SELV14T | B2101519 | | \$569 |
| SELV184, SSHLV184 | B2101521 | | \$747 |
| SG14/14R, SGBNB14, SSH55/55T/55R/55TR, SSH60/60R | B2101501 | | \$569 |
| SGBNB18, SSH75/75R, SSH60W/60WR, VF65 | B2101502 | | \$747 |
| SE14/14X/14R/14T | B2101505 | | \$569 |
| SE18/18R/184/184R | B2101506 | | \$747 |
| FBG18 | B2101510 | | \$747 \$747 |
| FBG24 | B2101510 | | \$1,098 |
| SGM24 | B2101511 | | \$1,098 |
| 35C+ | | | |
| | B3307401 | | \$569 #569 |
| 450+ | B3307501 | | \$569 |
| 65C+ | B2100108 | | \$747 |
| E35 | B2101508 | | \$569 |
| VF35 | B2101518 | | \$569 |
| SGC | B2010504 | | \$569 |
| SSPG14 | B2103001 | | \$569 |
| With Basket Lifts | | | |
| SSHLV14, SSHLV14T, SELV14, SELV14T | B2101519 | | \$569 |
| SELV184, SSHLV184 | B2101521 | | \$748 |
| SG14/14R, SSH55/55T/55R/55TR, SSH60/60R | B2101603 | | \$569 |
| SG18, SSH75/75R, SSH60W/60WR | B2101604 | | \$748 |
| SE14/14X/14R/14T | B2101605 | | \$569 |
| SE18/18R/184/184R | B2101606 | | \$748 |
| SSPE14 | B2100422 | | \$569 |
| SSPG14 | B2103002 | | \$569 |
| CASTERS | | | |
| Description | Fryer | Part Number | List Price |
| 6" Swivel | Economy, Food/Fish, Donut Fryers | B3901501 | \$787 set |
| 9" Swivel | Solstice Supreme, SG, SE, VF35, VF65 & Flatbottom Fryers, Pasta Cookers, Rethermalizers, BNB, ROV Triple and up | B3901504 | \$787 set |
| 9" Locking | Reduced Oil Volume Fryers, Solo and Dual | B3902304 | \$197 |
| 10" Rigid Non-locking | Solstice SoloFilters | B3902301 | \$197 |
| 10" Rigid Locking | Solstice SoloFilters | B3902303 | \$197 each |
| 11" Swivel | MegaFry | B3901505 | \$787 set |
| SGBNB DUMP STATION | | | |
| Standard with 4-5/8" recessed top/screen. Matches dimension | ns of fryer. Approximate shipping weight 150 pounds. | | |
| | | | |
| | Notes | | List Price |
| Description | Notes | | |
| Description Bread and Batter Dump Station 14" | Notes | | \$2,701 |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" | Notes | | \$2,701 \$2,751 |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt | Notes | | \$2,701 \$2,751 \$1,868 |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt | | | \$2,701 \$2,751 \$1,868 \$1,868 |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt Scooped Pan Liner (in lieu of screen) | No Additional Cost - Specify at Point of Order | | \$2,701 \$2,751 \$1,868 \$1,868 N/C |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt Scooped Pan Liner (in lieu of screen) Flat Worktop | No Additional Cost - Specify at Point of Order Call factory for availability n/c | | \$2,701 \$2,751 \$1,868 \$1,868 N/C N/C |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt Scooped Pan Liner (in lieu of screen) Flat Worktop Flush Worktop | No Additional Cost - Specify at Point of Order | | \$2,701 \$2,751 \$1,868 \$1,868 N/C |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt Scooped Pan Liner (in lieu of screen) Flat Worktop Flush Worktop SPLASHGUARDS | No Additional Cost - Specify at Point of Order Call factory for availability n/c Call factory for availability n/c | | \$2,701 \$2,751 \$1,868 \$1,868 N/C N/C |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt Scooped Pan Liner (in lieu of screen) Flat Worktop Flush Worktop SPLASHGUARDS Mounts on tank side to prevent splashing of oil from one unit to | No Additional Cost - Specify at Point of Order Call factory for availability n/c Call factory for availability n/c | | \$2,701 \$2,751 \$1,868 \$1,868 N/C N/C |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt Scooped Pan Liner (in lieu of screen) Flat Worktop Flush Worktop SPLASHGUARDS Mounts on tank side to prevent splashing of oil from one unit to | No Additional Cost - Specify at Point of Order Call factory for availability n/c Call factory for availability n/c | | \$2,701 \$2,751 \$1,868 \$1,868 N/C N/C |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt Scooped Pan Liner (in lieu of screen) Flat Worktop Flush Worktop SPLASHGUARDS Mounts on tank side to prevent splashing of oil from one unit to Description 6" | No Additional Cost - Specify at Point of Order Call factory for availability n/c Call factory for availability n/c | | \$2,701 \$2,751 \$1,868 \$1,868 N/C N/C N/C |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt Scooped Pan Liner (in lieu of screen) Flat Worktop Flush Worktop SPLASHGUARDS Mounts on tank side to prevent splashing of oil from one unit to | No Additional Cost - Specify at Point of Order Call factory for availability n/c Call factory for availability n/c | | \$2,701 \$2,751 \$1,868 \$1,868 N/C N/C |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt Scooped Pan Liner (in lieu of screen) Flat Worktop Flush Worktop SPLASHGUARDS Mounts on tank side to prevent splashing of oil from one unit to Description 6" | No Additional Cost - Specify at Point of Order Call factory for availability n/c Call factory for availability n/c | | \$2,701 \$2,751 \$1,868 \$1,868 N/C N/C N/C |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt Scooped Pan Liner (in lieu of screen) Flat Worktop Flush Worktop SPLASHGUARDS Mounts on tank side to prevent splashing of oil from one unit to Description 6" 8" | No Additional Cost - Specify at Point of Order Call factory for availability n/c Call factory for availability n/c | | \$2,701 \$2,751 \$1,868 \$1,868 N/C N/C N/C Signature (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt Scooped Pan Liner (in lieu of screen) Flat Worktop Flush Worktop SPLASHGUARDS Mounts on tank side to prevent splashing of oil from one unit to Description 6" 8" 10" (Economy Fryers Only) | No Additional Cost - Specify at Point of Order Call factory for availability n/c Call factory for availability n/c | | \$2,701 \$2,751 \$1,868 \$1,868 N/C N/C N/C Sist Price \$370 \$413 |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt Scooped Pan Liner (in lieu of screen) Flat Worktop Flush Worktop SPLASHGUARDS Mounts on tank side to prevent splashing of oil from one unit to Description 6" 8" 10" (Economy Fryers Only) 12" | No Additional Cost - Specify at Point of Order Call factory for availability n/c Call factory for availability n/c | | \$2,701 \$2,751 \$1,868 \$1,868 N/C N/C N/C State Price \$370 \$413 \$430 \$493 |
| Description Bread and Batter Dump Station 14" Bread and Batter Dump Station 18" PFW-1 Built-in Foodwarmer, 750watt PFW-2 Free Standing Foodwarmer, 500watt Scooped Pan Liner (in lieu of screen) Flat Worktop Flush Worktop SPLASHGUARDS Mounts on tank side to prevent splashing of oil from one unit to Description 6" 8" 10" (Economy Fryers Only) 12" 18" | No Additional Cost - Specify at Point of Order Call factory for availability n/c Call factory for availability n/c | | \$2,701 \$2,751 \$1,868 \$1,868 N/C N/C N/C Start Price \$370 \$413 \$430 \$493 |

BASKETS & WIRE GOODS

| BASKET & WIRE GOODS | | | T - (- | 0 | l: + D: |
|---|----------------------|---|----------------------|----------------------|----------------------|
| Description | Part Number | Size | Type of Handle(s) | Quantity Per Tank | List Price (Each) |
| Pasta Wire Goods | | | | | |
| Small Bulk Basket | B4510202 | 12 1/4" X 13 1/4" X 9" | Sides | 1 | \$737 |
| Large Bulk Basket | B4512702 | 16" X 13 1/4 "X 10" | Sides | 1 | \$764 |
| Round Basket 4 5/8" Fine Mesh | B4510002 | 4 1/5 ID | Front | 6 | \$460 |
| Round Basket 4 5/8" | B4510001 | 4 1/5 ID | Front | 6 | \$304 |
| Round Basket 6 1/4" | B4509901 | 6 1/4 ID | Front | 4 | \$321 |
| Oblong Basket Stainless | B4509801 | 15 3/4" X 6" X 7" | Front | 2 | \$509 |
| Individual Serving Baskets w/ rack | B9010006 | 9 Indiv. Baskets w/rack | | 1 | \$529 |
| Individual Serving Basket Only | P6071998 | Single 4" X 4" Basket | | 9 | \$79 |
| Element Rack - Electric | B7611202 | | | 1 | \$304 |
| Tube Rack - Gas | B4510101 | | | 1 | \$304 |
| Twin Baskets Regular Mesh (Shipped standard with ed | quipment) | | | | |
| 35/45C+S, SG14/14R, SSH55/55R, SE14/R VF35, ROV | P6072145 | 13 1/4" X 6 1/2 "X 5 3/4"D | Front | 2 | \$210 |
| SE14T, SSH55T, 55TR | P6072145 | 13 1/4" X 6 1/2 "X 5 3/4"D | Front | 1 | \$210 |
| 65C+, SG18, SE18/18R, SSH75/75R, VF65 | P6072184 | 17 1/4 "X 8 1/2" X 5 3/4"D | Front | 2 | \$210 |
| SSH60/60R | A4500306 | 17 1/4 "X 6 1/2 "X 5 3/4"D | Front | 2 | \$210 |
| SSH60W/60WR, SE184/184R | A4500305 | 131/4 X 8 1/2 "X 5 3/4"D | Front | 2 | \$210 |
| Twin Baskets-Fine Mesh | 1 | . | 1 | _ | |
| 35/45C+S, SG14/14R, SSH55/55R, VF35, ROV | P6072146 | 13 1/4" X 6 1/2" X 5 3/4"D | Front | 2 | \$423 |
| SG14T, SE14T/14TR, SSH55T, 55TR | P6072146 | 13 1/4" X 6 1/2" X 5 3/4"D | Front | 1 | \$423 |
| 65C+, SG18, SE18/18R, SSH75/75R, VF65 | P6072188 | 17 1/4 "X 8 1/2 "X 5 3/4"D | Front | 2 | \$526 |
| Square/Full Size Basket - Regular Mesh (optional in lie | ı | ets with standard fryers) | , | | |
| 35/45C+S, SG14/14R, SSH55/55R, SE14/R, VF35 | P6072143 | 13 1/4 "X 13 1/2 "X 5 3/4"D | Front | 1 | \$423 |
| 65C+, SG18, SE18/18R, SSH75/75R, VF65 | P6072180 | 17 1/2" X 16 3/4" X 5 3/4"D | Sides | 1 | \$545 |
| Square/Full Size Basket - Fine Mesh | 1 | Τ | 1 | | |
| 35/45C+S, SG14/14R, SSH55/55R, ROV, VF35 | P6072144 | 131/4" X 131/2" X 53/4"D | Front | 1 | \$537 |
| Triple Size Baskets | 1 | T | 1 | | |
| 45C+S, SG14/14R, SSH55/55R, SE14/R | P6072147 | 13 1/4" X 4 1/2 "X 5 3/4"D | Front | 3 | \$199 |
| 65C+, SG18, SE18/18R, SSH75/75R | P6072185 | 17 1/4" X 5 1/2" X 5 3/4"D | Front | 3 | \$230 |
| SSH60W/60WR, SELV184, SSHLV184, SE184/184R | A4514901 | 13 1/4" X 5 5/8 "X 5 3/8"D | Front | 3 | \$199 |
| Quadruple Size Baskets | DC0704 17 | 404/483/44/0%250/485 | l | | 4000 |
| SSH60W/60WR, SELV184, SSHLV184, SE184/184R | P6072147 | 13 1/4" X 4 1/2 "X 5 3/4"D | Front | 4 | \$200 |
| Tank Racks | DD10404 | 101/0 "\/ 111/0" | 1 | 1 | 6170 |
| 35C+, SGC, VF35 | PP10434 | 13 1/2 "X 11 1/2" | | 1 | \$172 \$172 |
| 65C+, SE18/18R, SSH75/75R | P6073186 | 17 1/2" X 17 1/2" | | 1 | \$172 |
| SG14/14R, 45C+, SSH55/55R, SE14/14R, 45C+ | A4500601 | 13 1/2 "X 13 1/2" | | 1 | \$172 |
| SSH55T/55TR | B4511801 | 131/2 "X 6" | | 1 | \$172 |
| SSH60/60R, VF65 SSH60W/60WR | A4500604 A4500602 | 13 1/2 "X 17 1/2" 17 1/2" X 13 1/2" | | 1 | \$172 \$172 |
| SG18 | B4511901 | 17 1/2 X 13 1/2 17 1/2 "X 17 1/2" Reversible | | 1 1 | \$172 |
| SE14T | B4511901 B4512401 | 13 1/2 "X 6 3/4" | | 1 | \$172 |
| SSHLV14 | A4500605 | 131/2 X 6 3/4 12-1/2" x 11-3/4" | | 1 | \$172 |
| SSHLV14 SSHLV14T | B4511802 | 12-1/2 × 11-5/4 12-1/2" × 5-3/4" | | 1 | \$172 |
| SSHLV184 | | | | | |
| 99HLV184 | A4500606 | 12-1/2" x 15-3/4" | | 1 | \$172 |

BASKETS & WIRE GOODS

| Description | Part Number | Size | Type of Handle(s) | Quantity-Per Tank | List Price |
|---|---------------------|---------------------------|-------------------|------------------------|------------|
| Tank Screen - Mesh | ' | | | | |
| SG18, SE18/18R, SSH75/75R | P6072186 | 17-1/2" x 17-1/2" | | 1 | \$198 |
| SG14/14R, SSH55/55R, SE14/14R | A4500201 | 13-1/2" x 13-1/2" | | 1 | \$198 |
| SE14T | B4512501 | 13-1/2" x 6" | | 1 | \$198 |
| SGM24 | P6072402 | 23-1/2" x 23-1/2" | | 1 | \$350 |
| SSH60/60R, VF65, SE184/184R | A4500203 | 12-1/2" x 8-3/4" | | 1 | \$198 |
| Drain Screen for Bread and Batter Cabinet (| Dump Station) | | | | |
| SGHLVBNB, SEHLVBNB | B4508109 | | | | \$350 |
| SGBNB14,SSHBNB14 | B4508108 | | | | \$350 |
| SGBNB18,SSHBNB18 | B4508107 | | | | \$443 |
| SEBNB14 | B4508111 | | | | \$350 |
| SEBNB18 | B4508110 | | | | \$443 |
| Fish Grids | | | | | |
| SG14/14R, SE14/14R, SSH55/55R | B7425301 | 13-1/2" x 13-1/2" | | | \$939 |
| SG18, SE18/18R, SSH75/75R | B7425401 | 17-1/2" x 17-1/2" | | | \$1,042 |
| SSH60 | A5073001 | 13-1/2" x 17-1/2" | | | \$969 |
| SSH60W | A5073101 | 17-1/2" x 13-1/2" | | | \$969 |
| Megafry Baskets | | | | | |
| Large Megafry Basket | A4514702 | 23-1/4" x 10" x 5-3/4" | Front/Back | | \$793 |
| Small Megafry Basket | A4514701 | 23-1/4" x 5-3/4" x 5-3/4" | Front/Back | | \$691 |
| MEGAFRY OPTIONAL BASKET O | CONFIGURATION TA | BLE | | | |
| | | Basket Siz | ze/Quantities | | |
| Model Number | 23-1/ | 4" x 5-3/4" x 5-3/4" | 2 | 23-1/4" x 10" x 5-3/4" | |
| SGM24 | | 4 | | 0 | |
| SGM24 | | 2 | 1 | | |
| SGM24 | | 0 2 | | | |
| ROV RACK FRYER ACCESSORIE | S - (see page 7 for | accessories included v | vith fryer) | | |
| Model Number | | Part Number | | List Price | |
| Rack Holder | | B5055702 | | \$164 | · |
| Product Rack - 12" x 16" x 1" | | B5009201 | \$164 | | |
| Product Basket - 12" x 16" x 2" | | B5055201 | \$164 | | |











WE HAVE THE FRYER YOU NEED FOR ANY BUSINESS

Full Line of Fryers

Pitco offers a lineup of efficient and cost-saving fryers for every business model, with the largest selection of fryers of any brand.

Reduced Oil Volume - the top of the line in oil management, these fryers can save you thousands on the cost of oil and showcase easy to use and trainable features like automatic filtration and touchscreen controls

Solstice & Solstice Supreme - taking efficiency to a higher level, these ultra-reliable fryers have better recovery and can save thousands on energy bills

Economy - for the customer with a tight budget, these fryers still pack a powerful punch with quality and craftsmanship that will withstand years of consistent use

Premium Economy Fryers - each fryer category features ENERGY STAR® rated equipment that offers rebates in most locations across the country

START-UP:

We now offer prepaid start-ups!

- Just \$325 for the first serial number and \$100 for each additional serial number at the same location!
- Purchase on your original equipment order and our ASAPD will:

Complete a performance check

- ✓ Boil out the fryer(s)
- ✓ Fill the unit with oil
- ✓ Calibrate as needed
- ✓ Check for proper installation
- ✓ Check for proper performance
- A Start-up must be emailed to Pitco Service at least 5 business days prior to requiring the service at techservice@pitco.com or fill out a form online at www.pitco.com/startup request
- The Start-up is to be completed prior to the customer using the equipment
- All required utilities and associated supporting equipment such as hoods, drains and fire protection equipment must be in place and operational prior to starting up the equipment
- Start-ups are to be performed during normal business hours. 8AM 5PM.
- · Extended Travel fee may apply outside of major metro areas
- · Additional fees may be charged for time during security clearance or after hours if needed

EXTENDED WARRANTY:

We now offer extended warranties!

• Extend your Pitco Factory warranty for a full year! Call your Pitco customer service rep for pricing! United States only



ORIGINAL ECONOMY EQUIPMENT LIMITED WARRANTY **GENERAL WARRANTY**

Pitco Frialator, LLC warrants to the original user of its commercial cooking appliances and related equipment that said appliances and related equipment will be free from defects in material and workmanship under normal use for a period of one (1) year from the date of installation, with appropriate documentation, to a maximum of fifteen (15) months from the date of manufacture, subject to the following additions, exceptions, exclusions and limitations.

What is covered

This warranty is limited to the repair or replacement at the Company's option, without charge, of any part found to be defective within the warranty period and reasonable expenses incurred for freight and material for the installation of such part; in addition, the Company's obligation shall be limited to reimbursement for normal labor on such parts. Pitco Frialator, LLC agrees to pay the Authorized Service and Parts Distributor, for any labor and material required to repair or replace, at the Company's option, any part which may fail due to defects in material or workmanship during the above general warranty period.

How to Keep Your Warranty in Force

- Make sure any shipping damages are reported immediately. Damages of this nature are the responsibility of the carrier and must be reported by the receiver.
- Install the unit properly. This is the responsibility of the installer and the procedures are outlined in the manual.
- Do not install it in a home or residence.
- Maintain it properly. This is the responsibility of the user of the appliance and the procedures are outlined in
- Adjustments, such as calibration, leveling, tightening of fasteners or plumbing or electrical connections normally associated with initial installation. These procedures are outlined in the manual and are NOT covered by warranty.
- If it is damaged due to flood, fire or other acts of God, this is not covered under this warranty.
- Use it for what it is intended. If it is used for a purpose other than for which it was intended or designed, resulting damages are not covered under the warranty.
- Make sure that it has the correct voltage, gas supply and/or good quality water. If a failure is due to poor water quality, harsh chemical action, erratic voltage or gas supplies, these damages are not covered under the warranty.
- Do not materially alter or modify from the condition in which it left the factory.
- Do not obliterate, remove or alter the serial number rating plate.
- Use only Genuine OEM parts from Pitco Frialator, LLC or its Authorized Parts and Service Distributors. Non-OEM parts or repairs made by None-Authorized Service and Parts Distributors are not covered by the warranty.
- If any other failure occurs which is not attributable to a defect in materials or workmanship, it is not covered.
- Food truck & mobile installations may void warranty. Combustion related issues will not be covered.

This warranty specifically excludes parts which wear or would be replaced under normal usage, including, but not limited to, lamps, fuses, interior or exterior finishes, o-rings, gaskets, wire goods. Filter hoses and wash wands are warrantied for 90 days from installation.

Limits to the Warranty

Outside the United States of America and Canada, this warranty is limited to the replacement of parts and Pitco Frialator, LLC will not bear any other expense be it labor, mileage, freight or travel.

In the United States of America and Canada, this warranty will cover up to 100 miles and two hours of round trip travel charges. Any excess travel is billable to the location.

If any oral statements have been made regarding the appliance, these statements do not constitute warranties and are not part of the contract of sale. This limited warranty constitutes the complete, final and exclusive statement with regard to warranties.

THIS LIMITED WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES WHETHER WRITTEN, ORAL OR IMPLIED, INCLUDING, BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR WARRANTY AGAINST LATENT DEFECTS.

Limitations of Liability

In the event of a warranty or other claim, the sole obligation of Pitco Frialator, LLC will be the repair or replacement, at the Company's option, of the appliance or the component part. This repair or replacement will be at the expense of Pitco Frialator, LLC except as limited by this warranty statement. Any repair or replacement under this warranty does not constitute an extension in time to the original warranty. Parts covered under this warranty will be repaired or replaced, at the Company's option, with new or functionally operative parts. The liability of Pitco Frialator, Inc. on any claim of any kind, including claims based on warranty, express or implied contract, negligence, strict liability or any other legal theories will be exclusively the repair or replacement of the appliance. This liability will not include, and the purchaser specifically renounces any right to recover special, incidental, consequential or other damages of any kind, including, but not limited to, injuries to persons, damage to property, loss of profits or anticipated loss of the use of this appliance.

If any provision of this warranty is unenforceable under the law of any jurisdiction, that provision only will be inapplicable there, and the remainder of the warranty will remain unaffected. The maximum exclusion or limitation allowed by law will be substituted for the unenforceable provision.

How to Obtain Warranty Service

First direct your claim to the Pitco Frialator, LLC Authorized Service and Parts Distributor, www.pitco.com/serv.asp closest to you giving complete model, serial and code numbers, voltage, gas type, and description of the problem. Proof of the date of installation and/or the sales slip may also be required. If this procedure fails to be satisfactory, write the National Service Manager, Pitco Frialator, LLC, P. O. Box 501, Concord, NH. 03302-0501. USA

This warranty gives you certain specific legal rights; you may have other rights which vary from state to state.



SALES REPRESENTATIVES

| STATE | ZIP CODE | REF |
|------------|--------------------|-----|
| | ١ | |
| Alaska | | |
| Arizona | | |
| | 3 | 15 |
| California | | 0.0 |
| | 900-908 | |
| | 910-928 | |
| | 930-935 936-937 | |
| | 939-961 | |
| Colorado |) | |
| Connecti | | 04 |
| Commecti | 060-063 | Ω1 |
| | 0641-0642 | |
| | 0643 | |
| | 0644-0648 | |
| | 0649 | |
| | 065, 067 | |
| | 066, 068-069 | |
| Delaware | ອູ | |
| District c | of Columbia | 15 |
| Florida | | |
| | 324-325 | 14 |
| All other | zip codes | 03 |
| Georgia | | 14 |
| Hawaii | | |
| Idaho | | 16 |
| Illinois | | |
| | 600-606 | |
| | 609-619 | |
| | 620, 622 | |
| | 623-628 | |
| la alla a | 629 | 08 |
| Indiana | 167 161 | 00 |
| All other | 463-464zip codes | |
| lowa | zip codes | |
| Kansas | | |
| | , V | 00 |
| | a | |
| Maine | | |
| Maryland | d | |
| | usetts | |
| Michigan | 1 | 13 |
| Minnesot | ta | 13 |
| Mississip | pi | 14 |
| Missouri | | 08 |
| | | |
| | a | 08 |
| Nevada | | |
| | 890-891 | |
| | 893-898 | |
| New Han | npshire | 01 |

- C.R. Peterson Associates, Inc. 355 Bodwell Street Avon, MA 02322 Tel: (800) 257-4040 Fax: (508) 238-3647 www.crpeterson.com info@crpeterson.com
- **DRC Marketing Group, Inc.** 2 10376 Lake Meadows Drive Strongsville, OH 44136 Tel: (440) 878-1901 Fax: (614) 367-1450 www.drcmktg.com info@drcmktg.com
- **Eaton Marketing** 5325 115th Avenue North Clearwater, FL 33760 Tel: (727) 531-0899 www.eaton-marketing.com
- **Elevation Reps** 7334 South Alton Way Building 14 Suite G Centennial, CO 80112 Tel: (303) 750-3727 www.elevationfs.com
- **Ettinger Rosini & Associates** 11060 Grader Street Dallas, TX 75238 Tel: (214) 343-2548 Fax: (214) 343-2727 www.ettros.com
- **Preferred Marketing Group** 20715 Dearborn Street, Chatsworth, CA, 91311 Tel: (818) 998-9292 info@pmgnow.com https://pmgnow.com
- **Griffin Marketing Group** 1935 S Main St, Suite 102 Salisbury, NC 28144 Tel: (704) 603-4556 Fax: (704) 603-4561 www.griffinreps.com

- **Heartland Reps** 1053 W. Couchman Drive Kearney, MO 64060 Tel: (888) 486-1253 Fax: (888) 486-1253 www.heartlandreps.com info@heartlandreps.com
- The Jay Mark Group 175 Lively Blvd. Elk Grove Village, IL 60007 Tel: (847) 545-1918 Fax: (847) 545-1932 www.jaymark.net dheffernan@jaymark.net
- Link2 Hospitality Solutions 108 Lincoln Parkway East Rochester, NY 14445 Tel:(518)399-6040 Fax: (585) 254-2154 www.link2hs.com
- **One Source** 800 Calcon Hook Rd., Bays 201 & 202, Sharon Hill, PA 19079 Tel: (610) 565-5200 Fax: (610) 565-0725 www.osreps.com
- **Pecinka Ferri Associates** 3 Spielman Road Fairfield, NJ 07004 Tel: (973) 812-4277 Fax: (973) 812-4284 www.pecinkaferri.com sales@pecinkaferri.com
- Phoenix Marketing 8162 Zionsville Road Indianapolis, IN 46268 Tel:(317) 986-4167 www.phoenix-reps.com
- The Hansen Group 1770 Breckinridge Pkwy Suite 500 Duluth, GA 30096 Tel: (770)-667-1544

128 Holiday Court Suite 127 Franklin, TN 37067 Phone: (615)370-1311 sales@thehansengroup.net https://thehansengroup.net

SALES REPRESENTATIVES

- The Schmid Wilson Group, Inc. 2545 Lord Baltimore Drive, Suite E Windsor Mill, MD 21244 Tel: (410) 998-9191 Fax: (410) 265-1053 www.theswg.com swg@theswg.com
- **Schulz Associates** 711 Kirkland Avenue Kirkland, WA 98033 Tel: (425) 828-4557 Fax: (425) 828-6762 www.schulzassociates.com
- **Specialized Marketing** W226 N887 Eastmound Dr, Ste D Waukesha, WI 53186 Tel: (262) 798-1533 Fax: (262) 798-1536 www.specializedwi.com
- W.D. Colledge 3220 Orlando Drive, Unit 3 Mississauga, Ontario L4V 1R5 Tel: (905) 677-4428 Fax: (905) 677-5357 www.wdcolledge.com
- W.D. Colledge 312 Beringer Crescent Edmonton, Alberta T5T 6B6 Tel: (780) 444-8928 www.wdcolledge.com

- W.D. Colledge 1144 Douglas Terrace Port Coquitlam, BC V3C 5X2 Tel: (778) 216-1221 Fax: (778) 216-0351 www.wdcolledge.com
- W.D. Colledge 3522 Sefton St Port Coquitlam, BC V3B 3R2 Tel: (604) 999-8579 www.wdcolledge.com
- W.D. Colledge 122 Purcells Cove Road Halifax, Nova Scotia B3P 1B5 Tel: (902) 477-4562 Fax: (902) 477-0243 www.wdcolledge.com
- W.D. Colledge 8586A Lemieux St LaSalle, Quebec H8N 2B6 Tel: (514) 365-3753 Fax: (514) 363-0689 www.wdcolledge.com

| STATE | ZIP CODE | RE |
|-------------|--------------|----|
| New Jer | | |
| | 070-079 | |
| | 080-086 | 11 |
| | 087-089 | |
| | xico | 04 |
| New Yor | | |
| | 100-119 | |
| | r zip codes | |
| | arolina | |
| | akota | |
| Ohio | | |
| | na | |
| Pennsyl | | 10 |
| Perinsyi | 150-165 | 02 |
| All othe | r zip codes | |
| | sland | |
| | arolina | |
| | akota | |
| | ee | |
| Texas | | |
| | 798-799 | 04 |
| All othe | r zip codes | |
| Utah | · | |
| Vermon | t | |
| Virginia | | 15 |
| Washing | gton | 16 |
| West Vi | rginia | 02 |
| Wiscons | | |
| | 530-539 | |
| | 540 | 13 |
| | 541-546 | 17 |
| | 547-548 | |
| VA / | 549 | |
| Wyomin | ıg | 04 |
| CANADA | | |
| Alberta | | |
| | Columbia | |
| | a | |
| | ndland | |
| | ınswick | |
| | otia | |
| | dward Island | |
| | hewan | |
| Olligilo | | IÖ |

Quebec23

ORDERING INFORMATION

ORDERING INFORMATION

PLEASE PROVIDE THE FOLLOWING INFORMATION:

- Complete Bill To/Ship To address
- Ultimate destination of equipment
- Purchase order number
- Requested ship dates and carrier
- Any special instructions
- Indicate Mark For
- CE approval required

INFORMATION FOR EQUIPMENT:

- Gas Type (natural or propane)
- Voltage/Phase
- Altitude requirements
- Model number
- Fryer/Filter line-up

NOTE: FRYERS NOT AVAILABLE FOR CURB MOUNT

TERMS AND CONDITIONS

- Prices are LIST PRICES F.O.B factory, Concord, NH and do not include freight charges or installation
- Subject to a 25% if cancelled within 48 hours of ship date
- Special Orders: Require 20% non-refundable deposit at time of order
- Freight Classification: Class 85
- Prices and specifications are subject to change without notice

RETURNS

- Returns will not be accepted without prior approval. Please contact Customer Service
- Returned Goods Authorization (RGA) must accompany all returns. All returns must be shipped prepaid within 30 days of authorization and must be in proper crating
- Restocking Charge: 25% on standard items, 30% on special order items

INTERNATIONAL ORDERS

In an ever expanding international marketplace it is necessary for a domestic dealer in limited situations to become involved in an export opportunity that will result in a contractual sale. In this instance Pitco Frialator must respond to its domestic dealer and, while recognizing the importance of our international distributor, ultimately ensure proper service to the customer after the sale.

Any orders shipping outside the continental U.S. or Canada will be subject to a 12% EIAP (Export Infringement Administration Fee), and could be subject to other charges including special electrical or gas configuration charges and CE approval fees.

Please also note that unless specifically confirmed in writing by Pitco factory personal, the international warranty of "One (1) Year Parts-Only" applies.


Please contact your Pitco Customer Service Representative for specific details

CHECK YOUR ORDER STATUS ONLINE

To speak to a Customer Service Representative call: 603.225.6684

Email orders: orderpitco@pitco.com

Order literature: Email: literature@pitco.com



HOW TO ESTIMATE FREIGHT/HANDLING COST

- 1. FREIGHT RATE: Locate state/rate on map you are shipping to (NOTE: Separate rates for less or more than 1,000 lbs.)
- 2. MULTIPLIER: Total weight of shipment ÷ 100
- 3. FREIGHT COST: FREIGHT RATE X MULTIPLIER

(MINIMUM CHARGE - \$200.00)

NOTES: RATES ONLY APPLY IF:

- 1. Freight ships from Pitco/ MagiKitch'n/Anets ware house location
- 2. Pitco/Anets/Ultrafryer chooses freight carrier
- 3. Pitco/Anets/Ultrafryer must prepay and add freight to invoice
- 4. Minimum freight charge = \$200.00
- 5. Includes Standard delivery to all points (additional charges for "Call Before Delivery", "Lift Gate", "Inside Delivery" and "Construction Site Delivery"

EXAMPLE:

RATE = \$91.00

WEIGHT = 345 lbs.

MULTIPLIER = 345 ÷ 100 = 3.45

COST = \$91.00 X 3.45 = \$ 313.95

SHIPPING RATES:

5% on \$0 - \$14,999 & 3% on \$15,000 +

ADDITIONAL CHARGES:

Call Before Delivery = \$65.00 Inside Delivery = \$95.00 Lift Gate Delivery = \$150.00 Construction Site Delivery = \$130.00 All other requests, call for pricing



ENERGY STAR®

ENERGY EFFICIENCY & YOUR ESTABLISHMENT. BECAUSE WE CARE.

Restaurants use about 5 to 7 times more energy per square foot than other commercial buildings, such as office buildings and retail stores.

High-volume quick-service restaurants may even use up to 10 times more energy per square foot than other commercial buildings. Our can help save on energy and costs!

DID YOU KNOW? PITCO HAS MORE ENERGY STAR® QUALIFIED FRYERS THAN ANY OTHER BRAND.


Standard sized fryers that have earned the ENERGY STAR rating are up to 35% more energy-efficient than standard models.

ENERGY STAR Large vat fryers are 40% more energy-efficient than standard models.

LEARN MORE.

Many states and electric/gas utilities offer rebates or other incentives for the purchase of ENERGY STAR-qualified products. Contact your Rep to find out if rebates are available in your area. Rebates may vary by location and are subject to cancellation by local provider.

More information on energy savings can be found on energystar.gov./cfs



FRYER REBATES

